











77% TESTED POSITIVE FOR ONE OR MORE ZOONOTIC DISEASES



EXPERIENCE YOUR AMERICA

Why does this happen and what can we do about it?



Only 65% reported always washing their hands after handling animals

Only 87% reported wearing gloves during necropsies



Only 53% disinfected equipment after field use



81% reported insect bites in the previous year



32% found ticks on themselves during work hour



56% reported animal contact



81% reported insect bites in the previous year



32% found ticks on themselves during work hour



56% reported animal contact

Familiarity breeds contempt? those that handled wildlife at least weekly were less likely to follow safe work practices







Concern about contracting a zoonotic disease was the greatest factor influencing safe work practice





ZOONOTIC DISEASE TRAINING PROVIDED TO RESOURCE MANAGERS, BIOLOGISTS



ZOONOTIC DISEASE TRAINING PROVIDED TO RESOURCE MANAGERS, BIOLOGISTS

PPE CACHES DISTRIBUTED TO 100 PARKS WITH 100 MORE IN TRANSIT





ZOONOTIC DISEASE TRAINING PROVIDED TO RESOURCE MANAGERS, BIOLOGISTS

PPE CACHES
DISTRIBUTED TO 100
PARKS WITH 100 MORE
IN TRANSIT





POCKET GUIDES
DEVELOPED FOR QUICK
REFERENCE AND PPE
SELECTION

WHAT ABOUT EVERYONE ELSE?????!

EXPERIENCE YOUR AMERICAT

