MPEG-4 VIDEO AUTHENTICATION USING FILE STRUCTURE AND METADATA

by

J. RANDOLPH HALL

B.F.A., Ithaca College, 2002

A thesis submitted to the

Faculty of the Graduate School of the

University of Colorado in partial fulfillment

of the requirements for the degree of

Masters of Science

Media Forensics

2015

T 1 '	41 .	• •			
Inic	thacie	tor the	Nactor	of Science	٦
11113	เมเตอเอ		Masici		7

degree by

J. Randolph Hall

has been approved for the

by

Catalin Grigoras, Chair and Advisor

Jeff M. Smith

Jason R. Lewis

Date: November 12, 2015

Hall, J. Randolph (M.S., Media Forensics)

MPEG-4 Video Authentication Using File Structure and Metadata

Thesis directed by Professor Catalin Grigoras

ABSTRACT

The goal of this thesis is to research the file structure of MPEG-4 video files, the

contents of the multiple data containers within each file, and the possibilities and

limitations of using this information to authenticate a MPEG-4 file. This thesis will

impact the forensic science community by showing a method of analysis to

examine the meaningful components of a MPEG-4 recording and parse them in

order to identify the features of a recording that are consistent with an original

recording from the device that created it.

The form and content of this abstract are approved. I recommend its publication.

Approved: Catalin Grigoras

iii

TABLE OF CONTENTS

CHAPTER

l.	INTRODUCTION
II.	MOTION PICTURE EXPERTS GROUP (MPEG)
	MPEG-4 Overview
III.	THE COLLECTION6
IV.	ANALYSIS9
	The File Type Box
	The Movie Box11
	The Movie Header Box12
	The Free Box14
	The Movie Data Box15
	Tools for Analysis16
	AtomicParsley 16
	MediaInfo19
V.	ANALYSIS OF CAMERA FILES
VI.	ANALYSIS OF EDITED FILES
	ffmpeg47
	Adobe Premiere51

	Apple Quicktime	55
	youtube-dl	59
VII.	CONCLUSION	.64
REFE	RENCES	.68

LIST OF FIGURES

FIGURE

1	MPEG-4 Box Structure	. 9
2	MPEG-4 Box Size.	10
3	MPEG-4 Box Type	10
4	MPEG-4 Box Contents	11
5	Movie Box Size	. 11
6	Movie Box Type	. 11
7	MPEG-4 Nested Box Size	12
8	Movie Header Box Size	. 12
9	Movie Header Box Type	. 13
10	MPEG-4 Creation Timestamp	13
11	MPEG-4 Modification Timestamp	13
12	Movie Header Box Time Scale	. 14
13	Movie Header Box File Duration	14
14	Free Box Size and Type	. 14
15	Free Box Contents	15
16	Movie Data Box Size	15
17	Movie Data Box Type	15
18	Movie Data Box Contents	16
19	AtomicParsley Example Output	.17
20	LG G3 Structure	.19
21	LG G3 MediaInfo Output	.20

22	List of Devices Analyzed for this Paper	21
23	Comparison of Two LG G3 Samples to Validate Structure	22
24	Comparison of Two LG G3 Samples to Validate MediaInfo Properties	23
25	Comparison of two LG G3 Structures in Different Recording Modes (Full Resolution vs. Slow Motion)	24
26	Comparison of two LG G3 File Properties in Different Recording Modes (Full Resolution vs. Slow Motion)	25
27	Comparison of LG G3 and Moto X (2013) Structure	27
28	Comparison of Moto X and Samsung S5 Structure	28
29	Comparison of Samsung S3, S4 Zoom, and S5 Structure	29
30	MediaInfo Comparison of Samsung S3 and Samsung S5	30
31	Comparison of 'stbl' Boxes in Samsung S3 (top) and S5 (bottom)	32
32	MediaInfo Comparison of Samsung S5 Between Recording Modes	33
33	Comparison of HTC One M7 and HTC One M8 Structure	34
34	MediaInfo Comparison of HTC One M7 and HTC One M8	35
35	Comparison of Panasonic Lumix DMC-TS5 and Panasonic Lumix DMC-CM1 Structure	36
36	GoPro Hero 3 Structure	37
37	Parsing GoPro FIRM Box	38
38	Parsing GoPro LENS Box	38
39	Parsing GoPro CAME Box	38
40	Comparison of two different GoPro User Data Boxes ('udta')	38
41	GoPro Hero 3 MediaInfo Analysis	38

42	Samsung ST200F Structure and MediaInfo Analysis	40
43	Samsung ST200F UUID Hexadecimal Analysis	41
44	Sony Cybershot DSC-QX10 Structure	42
45	Comparison of Samsung ST200F and Sony Cybershot DSC-QX10 UUID	43
46	MediaInfo Comparison of Samsung ST200F and Sony Cybershot DSC-QX10	44
47	Comparison of Canon IXUS 265 and Panasonic Lumix DMC-TZ57 Structure	45
48	MediaInfo Comparison of Canon IXUS 265 and Panasonic Lumix DMC-TZ57	46
49	Comparison of Original GoPro Hero 3 and ffmpeg Encoded File Structure	48
50	MediaInfo Comparison of Original GoPro Hero 3 and ffmpeg Encoded File	49
51	Comparison of Original LG G3 and ffmpeg Encoded File Structure	50
52	MediaInfo Comparison of Original LG G3 and ffmpeg Encoded File	51
53	Comparison of GoPro Hero 3 Original and Adobe Premiere Encoded File Structure	52
54	MediaInfo Comparison of Original GoPro Hero 3 and Adobe Premiere Encoded File	53
55	Comparison of Original LG G3 and Adobe Premiere Encoded File Structure	54
56	MediaInfo Comparison of Original LG G3 and Adobe Premiere Encoded File	55
57	Comparison of GoPro Hero 3 Original and Apple QuickTime Encoded File Structure	56

58	Apple QuickTime Encoded File	. 57
59	Comparison of LG G3 Original and Apple QuickTime Encoded File Structure	. 58
60	MediaInfo Comparison of LG G3 Original and Apple QuickTime Encoded File	. 59
61	Comparison of Original GoPro Hero 3 and YouTube Encoded File Structure	. 60
62	MediaInfo Comparison of Original GoPro Hero 3 and YouTube Encoded File	.61
63	Comparison of LG G3 Original and YouTube Encoded File Structure	. 62
64	MediaInfo Comparison of LG G3 Original and YouTube Encoded File	.63

CHAPTER I

INTRODUCTION

The focus of this thesis is to demonstrate a framework of how to authenticate a MP4 video recording based on an analysis of its inherent file structure. MP4 video files are represented by the MPEG-4 Standard and defined in ISO/IEC 14496. The MPEG-4 standard and ISO/IEC 14496 have undergone a number of amendments and additions since its introduction in 1999. The structure of these files is based on the Apple QuickTime container format first published by Apple Computer, Inc. in 2001. The extensible architecture of this file structure has allowed changes to be made within the format over time, while allowing it to remain a viable and useful file format fifteen years after its introduction. In its current form, MP4 files are a popular container of H.264-encoded video, are natively supported in the HTML5 becoming a new standard of web-based video, and represent the majority of video created by consumer cameras and mobile devices.

At its root, the extensible nature of this file format is what allows a given MP4 file to be authenticated as being consistent with the device that was claimed to have created it. In the research for this thesis, a database of sixty-six video recordings was created containing exemplar recordings from a variety of cameras and mobile devices. These recordings were transferred from their respective devices in a forensically sound manner, making sure to preserve the original file structure. By parsing the structure of these files, identifying characteristics can be recognized in their structure as defined by the Apple

QuickTime container format. Due to the inherent design of the file format, there are very few requirements of what containers must be present and how they are configured in any given file. Due to the variety in this structure of containers, identifying characteristics become apparent when comparing the files between manufacturers and models. In addition to the sometimes self-identifying metadata contained within the files, the structure, itself, can be used to authenticate a file as being consistent with the device or to further identify which software was used to handle the file based on how the structure of containers has been modified. Just as physical devices record files in a specific structure of containers, software based manipulation will rearrange the structure of the files they create providing the same basis for identification. The effects of this software interaction vary but no software analyzed for this paper made any attempt to recreate the container structure of the original file.

The National Center for Media Forensics has published proposed frameworks for digital audio authentication[1] and digital image authentication.[2] Conspicuously absent is a framework for the authentication of digital video. There are a number of studies focusing on the authentication of digital video and none of them are more comprehensive than *Forensic analysis of video file formats*, Gloe, et al.[3] This study provides an great deal of detail on specific video file formats, digital cameras, mobile phones, and video editing software, however it stops short of the analysis of MPEG-4 video files based on their file structure. I propose the present study of MPEG-4 file structure format in order to form the basis of a framework for the authentication of digital video.

CHAPTER II

MOTION PICTURE EXPERTS GROUP (MPEG)

The Motion Picture Experts Group (MPEG) was established in 1988 by the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC). MPEG-1 was their first standard released in 1993 and was defined in ISO/IEC 11172[4]. This first MPEG standard defined a method of encoding moving pictures and audio that would allow playback at the bit rate of a compact disc and at the transmission rate of a T1 line of 1.5 Mbps. MPEG-1 was used primarily in the CD-i video format, Video CD (VCD) format, and in satellite and cable television transmission. The most notable and lasting legacy of the MPEG-1 standard is without question the MPEG-1 Audio Layer III (MP3) audio compression format which remains relevant today.

MPEG-2, defined in ISO/IEC 13818[5], was released in 1996 and made considerable improvements on the MPEG-1 standard. Most notable was the support for a higher transmission bit rate that allowed high definition interlaced video and multi-channel audio streams. MPEG-2 is used in DVD's, cable television, satellite television, and over-the-air broadcast television. Its hardware is backwards compatible by design so any player capable of playing MPEG-2 encoded data is also capable of playing MPEG-1 data.

MPEG-3, not to be confused with MPEG-1 Layer 3 or MPEG-2 Layer 3, was a standard that never really was. After realizing that the goal of delivering high bit rate streams necessary to provide full 1080p video would be possible

with the existing MPEG-2 standard, MPEG-3 was incorporated into MPEG-2 and the standard was shelved.

MPEG-4 OVERVIEW

The MPEG-4 standard has undergone a number of changes since its introduction in 1999. MPEG-4 Part 1, MPEG-4 Part 2, and MPEG-4 Part 3 were the first standards that outlined the file format which was to contain audio and video signals. These standards are defined in ISO/IEC 14496-1[6], ISO/IEC 14496-2[7], and ISO/IEC 14496-3[8]. This structure is based on the Apple QuickTime container format first published in 2001 by Apple, Inc. [9].

A significant amendment to this standard was made in 2003 when MPEG-4 Part 14 was introduced and described in ISO/IEC 14496-14[10]. MPEG-4 Part 14 defined the MP4 file format as it is used today and while there have been many further amendments to the MPEG-4 standard the file structure at its base has remained the same.

MPEG-4 Part 10 defined in ISO/IEC 14496-10[11] introduced H.264/Advanced Video Coding (AVC) in 2003. The storage format for this encoded data was created with MPEG-4 Part 15, defined in ISO/IEC 14496-15[12], released in 2004. H.264 is the video compression standard of the Blu-Ray Disc format. It has also been adopted for online streaming video through services like YouTube, Vimeo, and Apple's iTunes Store. It is used for HDTV over-the-air transmissions, cable, satellite television transmissions, and is the dominant codec used by security system DVR's and digital CCTV systems.

MPEG-4 Part 12 described in ISO/IEC 14492-12[13] defined the ISO base media file format that is at the root of the analysis in this paper. This definition provides the structure for a container file format to store video files locally or transmit them across a network. The structure and contents of these containers is extensible and all registered extensions of the ISO base media file format are maintained by an official registration authority[14]. This provision for the registration of these extensions has existed since MPEG-4 Part 1 was initially released.

CHAPTER III

THE COLLECTION

In creating a database of video files for this thesis, it was important to create a framework by which files could be collected without any opportunities for their structure to be altered when transmitting them from their respective devices. An initial test was performed using a LG G3 mobile phone. In testing the LG G3, a sample video was created and stored on its internal memory. This file was then transferred off of the device using Android File Transfer over a USB connection. The file was then copied to the G3's removable micro SD storage card, sent as an attachment to an email, and synced to another computer using Dropbox. After all of the files had been collected hash values were generated and when compared they all showed matching MD5, SHA-1, and SHA-256 values. In the case of the LG G3 Android device, no transcoding had occurred when transferring a file from the device through any of these techniques.

It should be noted that Dropbox will change the name of the file if using their Camera Upload feature but the structure and contents of the file were not changed. The intra-variability among these methods of retrieving files from their respective devices was zero.

Just because the LG G3 was successful in moving video files off of the device without transcoding them or altering their structure is by no means an endorsement that all other devices will behave in the same fashion. The files not collected personally were created and transmitted using a clear set of guidelines established in order to preserve the originality of the files. When it was not

possible to perform such an exhaustive test or when access to the device was not possible, the properties of the files were examined to determine if they had been transcoded in some way to alter their format from the published specifications of their respective device. Consumer cameras and their removable media posed no unexpected challenges in collection. The Android devices, represented in this database, all transmitted files without any modifications using any of the techniques mentioned. While the collection and study of Apple QuickTime files is outside the scope of this paper, it should be noted that the Apple devices examined for the sake of comparison would by default transcode their video files to a much lower quality when attached to an email message. The original files could be retrieved from the device using Dropbox but no further testing was performed on these devices.

In collecting these files, it was worth considering how the average user would share their videos or how these files would most likely and most easily moved off a mobile device with no availability of external storage. Once configured, the ease of Dropbox synchronization is undeniably simple however the two most obvious and ubiquitous choices were moving files via email and MMS messages. As previously observed, an emailed video would retain its original structure on the Android devices examined. In the case of transmitting via MMS message, the Android device transcodes the original file due to size limitations. Once the methods of collecting the video data were validated the most common means of collecting the videos from their respective devices was via email attachments.

When collecting video samples for the database of files to be examined, it was important to create multiple samples from each device. Modern mobile devices have the capabilities to record video at a wide range of resolutions and frame rates; it was important to collect the data from these devices using each of their possible recording modes. It was also important to collect multiple samples of each possible mode so that any variability within a single given device could be identified and investigated further. This behavior was not observed in any of the devices examined.

CHAPTER IV

ANALYSIS

In order to manually parse a MP4 file, it is important to understand the container-based nature of the file itself. The structure of these files is based entirely on the Apple QuickTime File Format Specification[15]. Apple refers to this fact openly in the documentation of their QuickTime standard and states clearly that the primary difference between QuickTime and MPEG-4, "An atom, as described in this document, is functionally identical to a box, as described in the ISO specifications for MPEG-4 and Motion JPEG-2000. An atom that includes version and flags fields is functionally identical to a full box as defined in those specifications." Conversely, the ISO/IEC 14496-12:2005(E) publication points out that in the first publication of their specification a 'box' was referred to as an 'atom'. For the purposes of this paper, we will refer to these containers as 'boxes' as in ISO/IEC 14496-12:2005(E). These boxes act as individual containers or as containers of additional containers nested inside one another.




Figure 1. MPEG-4 Box Structure

Each of these boxes begins with an unsigned 32-bit or 64-bit integer in big endian format that defines the size of the box itself. The vast majority of boxes

use the 32-bit integer but there are examples of 64-bit sizes in the data surveyed for this paper: a box that is simply so large that it requires a 64-bit integer to represent its size[13], and a series of Universally Unique Identifiers. If the size of the box is 0x00 then the contents of the box extend to the end of the file.[13]

For the purposes of parsing the MPEG-4 boxes all byte size values will be described in hexadecimal values using the prefix '0x' where 0x00=0 bytes, 0x10=16 bytes, 0x20=32 bytes, etc.

The File Type Box

In this example file, the first four bytes represent the size of the box: 0x18 bytes. This measurement includes the bytes used to represent the size of the box itself.




Figure 2. MPEG-4 Box Size

The next four bytes define the type of box. In this example, the first box of the file is 'ftyp', a File Type Box. The ISO specification requires this box to exist as early as possible in the file. In the files examined for this paper, it was always the first box in each sample. There can be only one 'ftyp' box per file and it must exist in order for the file to meet the ISO specification. The 'ftyp' box must also exist at the top level of the file. The File Type Box allows a given file to define compatibility with multiple standards if applicable. In this case, the box contents contains 'mp42', 'isom', and a second 'mp42'.




Figure 3. MPEG-4 Box Type

In this example, the first 'mp42' used as a major brand identifier, referring to the use of the Microsoft MPEG-4 codec. The 0x00 at offsets 0x0C through 0x0F act as a placeholder for any identifiers that would be used to define the minor version of the major brand of this file. 'isom' and the second 'mp42' identify what are referred to as the compatible brands of this File Type Box. In this example, the standards identified in the 'ftyp' box are complimentary. In the event where the audio or video were to not follow the ISO standard, the file types would be defined so that a decoder would correctly handle the data for decoding and playback.




Figure 4. MPEG-4 Box Contents

The Movie Box

The next four bytes of our file contain the box size for our next box: 0x0DA8.




Figure 5. Movie Box Size

The four bytes following that define the box: moov.




Figure 6. Movie Box Type

'moov' identifies this box as a Movie Box. The Movie Box contains the metadata of the file represented in additional boxes. In this example, the moov box contains 3496 bytes, it is significantly larger than the 'ftyp' box and contains all of the identifying information describing the contents of the video file. The structure and contents of these metadata boxes are at the root of building a framework to authenticate the file. 'moov' is a top-level box that must exist and there can be only one box in order for the file to meet the ISO specification. There are forty-two nested boxes inside this 'moov' box but the one of most forensic interest is 'mvhd', the Movie Header box.

The Movie Header Box

In the research for this paper, the variability in the positioning of the MPEG-4 boxes provided a method to identify a file based on the order and organization of the data containers themselves.




Figure 7. MPEG-4 Nested Box Size

To begin parsing the 'moov' box which is 0x0DA8 bytes, there are no immediate contents in this box; instead there is a four byte string identifying the size of another box.




Figure 8. Movie Header Box Size

Measuring 0x6C bytes in length this is the first example of a nested box: 'mvhd'.




Figure 9. Movie Header Box Type

The Movie Header Box defines the characteristics of the media data contained within the file and contains a number of useful pieces of information; in this example: creation time, modification time, time scale, and duration. At an offset of 0x0C from the start of the 'mvhd' box is the creation time of the example file presented in a 32-bit integer in big endian that represents the number of seconds since midnight, January 1, 1904 in UTC time. This was the same timing scheme used for the Mac OS's Hierarchical File System up through OS 9 and was also the timestamp format of the Palm OS but now this epoch time system is really only used as the encoded time in MPEG-4 and QuickTime files.




Figure 10. MPEG-4 Creation Timestamp

The modification time of the file is contained in the same time format as the creation time in four bytes at the offset of 0x10 from the beginning of the 'mvhd' box. In the case of this example file, it is identical to the creation time of the file.



Figure 11. MPEG-4 Modification Timestamp

The following four bytes at offset 0x14 contain the time scale of the file presented as an integer that represents the number of time units that pass in one second. In this case, a value of 0x3E8 represents a time scale 1/1000th of a second, or one millisecond.



Figure 12. Movie Header Box Time Scale

At an offset of 0x18 from the start of the 'mvhd' box are four bytes that represent the duration of the file. In this example: 0x13AB or 5035 milliseconds. The example file has a duration of 5.035 seconds.



Figure 13. Movie Header Box File Duration

The Free Box

3496 bytes from the starting point of our 'moov' box at 0x0DA8 starts our next top-level box at offset 0x0DC0. The size of this box is 0x62060.




Figure 14. Free Box Size and Type

The free box is defined by the ISO standard as being irrelevant and that its contents may be ignored[13]. In this example, the contents of the free box is filled entirely with zeroes. Throughout the files examined for this paper, there

were other examples of free boxes as well as skip boxes whose contents and function are identical to the free box.




Figure 15. Free Box Contents

The Movie Data Box

401,504 bytes from the start of the free box is our next top-level box measuring 0x1146A6C bytes. This is the final top level box in this example file and while the ISO standard would allow its size to be represented by 0x00 because its contents fill the remainder of the file, the manufacturer has chosen to define the size of the box nonetheless. In the files examined for this paper no Movie Data Box was defined as a size of 0x00.




Figure 16. Movie Data Box Size

The final top-level box in this example file is 'mdat'. The Media Data Box contains the media data of the file, in this case the compressed audio and video stream. A file may have multiple 'mdat' boxes containing multiple data streams or no 'mdat' box whatsoever if the file in question is acting only as a pointer to media data in other files.



Figure 17. Movie Data Box Type

In this example, there is a single media data box containing a single media data stream. This was the case for all of the files examined for this paper.




Figure 18. Movie Data Box Contents

Tools for Analysis

Parsing the file structure of MPEG-4 files manually is a necessary means of understanding the box structure of a file, however, to examine a larger collection of video files, it was necessary to incorporate a number of software tools for analysis. There are a number of software tools readily available online for a variety of operating systems but two in particular were invaluable for analyzing this collection of video files. Each one focused the example file in a different way and both are freely available. The methods for using these tools should be validated in order to insure that they are reporting correct information and can be considered a forensically sound tool. It is important to note that in the research for this paper there were many instances where one tool could authenticate a file as being original to its device but by utilizing both tools many points of comparison can be identified to authenticate a given file.

AtomicParsley was used to determine container structure of the files. MediaInfo was used to interpret the contents of these containers. For the hexadecimal analysis a variety of hexadecimal editors were used including WInhex, 010 Editor, and the native Unix command 'hexdump' to carve individual

boxes based on the sizes and offsets returned by AtomicParsley in order to validate the method.

AtomicParsley

AtomicParsley is a piece of software released under the terms of the GNU General Public License and available online at https://bitbucket.org/wez/atomicparsley/. Originally developed by puck_lock and currently maintained by Wez Furlong and Oleg Oshmyan, AtomicParsley will parse the box structure of a MPEG-4 file and output it to an easily readable format displaying the size and structure of the boxes.



Figure 19. AtomicParsley Example Output

In this example, the structure of our example file can quickly be identified and the nested structure of the boxes becomes clear. Manually parsing the file and comparing the results can validate the output of AtomicParsley. The size of

each individual box is not important for the purpose of authentication. When recording multiple videos with the same device, variability in the size of boxes was observed, even when video files were created to be as similar as possible by matching settings and duration. However, there were no observed instances of a variability in the structure of boxes when creating multiple files using matching settings on a given device. This consistency in structure allows the examiner to create a framework to authenticate MPEG-4 video files.

It is important to note that Atomic Parsley reports boxes that are not part of its database of valid box types with a '~' and defines them as unknown atoms. These unknown atoms can be considered an excellent piece of identifying information due to the extensible nature of the MP4 standard. In the research for this paper, a number of unregistered boxes were identified, some of which contained a wealth of identifying data. The MP4 Registration Authority maintains the standards for codecs[16], file types[14], and box types[17]. By design, an unknown box will not prevent a file from being opened. By design, if an unknown box type is encountered, it will simply be ignored by the playback software.

By using the output of AtomicParsley, it is possible to create a table representative of the box structure of the example file. This will allow a visual inspection of the file structure and allow the examiner to communicate about the nature of the structure. In the case of our example, 'ftyp', 'moov', 'free', and 'mdat' are all in the 1st or top tier of the file. The 'moov' box is the only box in our file with nested containers: 'mvhd', 'udta', and two 'trak' boxes containing the video and audio streams individually. The total number of boxes can quickly be

identified, in this example file there are 46 total boxes. The depth of the boxes can also be described. In this example file, there is a depth of 8 boxes. The 'moov' box contains 'trak', which contains 'mdia', which contains 'minf', which contains 'stbl', which contains 'stsd', which contains 'avc1', which contains 'avcC' and 'pasp'. Rather than using such lengthy sentences to describe the structure of these containers, the creation of a table to visualize the file structure is invaluable when performing comparisons.



Figure 20. LG G3 Structure

MediaInfo

Another valuable tool in the analysis of MPEG-4 video files is MediaInfo. Released as Open Source software under the BSD license, MediaInfo is available online at https://mediaarea.net/en/MediaInfo. For the purpose of the examinations in this paper, the CLI (Command Line Interface) version was used. MediaInfo provides a comprehensive output of the properties of a video file. MediaInfo makes no attempt to examine the structure of an input file but it excels at quickly parsing out the contents of these containers and presenting the properties of the video container, audio container, and the file itself. As a tool, MediaInfo was most useful when used to compare files from the same manufacturer that otherwise shared an identical MPEG-4 box structure.

After using MediaInfo to analyze the collection of files it became clear that as a tool it yielded certain inconsistencies when examining the properties of a file which will be described on page 23. It is imperative to understand that MediaInfo should not be relied on as the sole tool when working to authenticate a file due to these inconsistencies. A forensic examiner must understand the limitations of MediaInfo as a tool and not base any meaningful conclusions on its otherwise inconsistent results.

Figure 21. LG G3 MediaInfo Output

CHAPTER V

ANALYSIS OF CAMERA FILES

When beginning to examine the structure of the files for this paper, the extensible nature of the MPEG-4 standard became readily apparent. There are similarities in the box structure between devices and in some cases the structure is identical when comparing the structure of devices from the same manufacturer. In these cases, it is important to examine the file properties using MediaInfo as the contents of the boxes can hold important pieces of information that will aid in helping to authenticate the file to the device on which it was created. The following devices were examined for this paper:

<u>Make</u>	<u>Model</u>
Canon	ELPH 340/IXUS 265
GoPro	Hero 3
Google	Nexus 5
HTC	One M7
HTC	One M8
LG	G3 (Android OS 5.0)
Motorola	Moto X (2013) (Android OS 4.4.4)
Nokia	E72
Nokia	Lumia 1020
Nokia	Lumia 1050
Nokia Lumia 800	
Nokia Pureview 808	
Panasonic	Lumix DMC-CM1
Panasonic	Lumix DMC-TZ57
Samsung	Galaxy K
Samsung	Galaxy S3 (Android OS 4.3)
Samsung	Galaxy S3 Mini
Samsung	Galaxy S4 Zoom
Samsung	Galazy S5 (Android OS 4.4.2)
Samsung	i927
Samsung	NX500
Samsung	ST200F
Sony	A7
Sony	Cybershot DSC-QX10
Sony	Xperia Z1

Figure 22. List of Devices Analyzed for this Paper

To begin, two video clips were created using the LG G3 in its full resolution mode. In order to validate the method of using AtomicParsley as a

tool and the LG G3's ability to produce repeatable results in file structure, both files were analyzed and compared.




Figure 23. Comparison of two LG G3 Samples to Validate Structure

The two video clips show a matching structure of MPEG-4 box containers and it is now necessary to validate the method of using our second software tool MediaInfo. For this validation, the properties of the same two video files were compared.

General		General	
Complete name	3840x2160-LG-G3-2015-06-20 02-38-24-JH.mp4	Complete name	3840x2160-LG-G3-2015-06-20 02.38.52-JH.m
Format	MPEG-4	Format	MPEG-4
Format profile	Base Media / Version 2	Format profile	Base Media / Version 2
Todec ID	mp42	Codec ID	mp42
ile size	17.7 MiB	File size	22.9 MiB
Duration	5s 35ms	Duration	6s 613ms
Overall bit rate	29.4 Mbps	Overall bit rate	29.1 Mbps
Performer	LGE	Performer	LGE
Encoded date	UTC 2015-06-20 02:38:24	Encoded date	UTC 2015-06-20 02:38:52
Tagged date	UTC 2015-06-20 02:38:24	Tagged date	UTC 2015-06-20 02:38:52
ragged date	010 2013-00-20 02.30.24	1 agged date	010101010101013031
Video		Video	
ID	1	ID	1
Format	AVC	Format	AVC
Format/Info	Advanced Video Codec	Format/Info	Advanced Video Codec
Format profile	High@LS.1	Format profile	High@L5.1
Format settings, CABAC	Ves	Format settings, CABAC	Yes .
Format settings, ReFrames	1 frame	Format settings, ReFrames	1 frame
Format settings, GOP	M=1, N=30	Format settings, GOP	M=1, N=30
Codec ID	avc1	Codec ID	avc1
Codec ID/Info	Advanced Video Coding	Codec ID/Info	Advanced Video Coding
Duration	4s 822ms	Duration	6s 281ms
Bit rate			6s 284ms
	29.9 Mbps	Source duration	
Width	3 840 pixels	Bit rate	29.9 Mbps
Height	2 160 pixels	Width	3 840 pixels
Display aspect ratio	16:09	Height	2 160 pixels
Frame rate mode	Variable	Display aspect ratio	16:09
Frame rate	29.451 fps	Frame rate mode	Variable
Minimum frame rate	29.221 fps	Frame rate	29.440 fps
Maximum frame rate	29.703 fps	Minimum frame rate	27.223 fps
Color space	YUV	Maximum frame rate	30.303 fps
Chroma subsampling	4:02:00	Color space	YUV
Bit depth	8 hits	Chroma subsampling	4.02-00
			8 bits
Scan type	Progressive	Bit depth	
Bits/(Pixel*Frame)	0.122	Scan type	Progressive
Stream size	17.2 MIB (97%)	Bits/(Pixel*Frame)	0.123
Title	VideoHandle	Stream size	22.4 MiB (98%)
Language	English	Source stream size	22.4 MiB (98%)
Encoded date	UTC 2015-06-20 02:38:24	Title	VideoHandle
Tagged date	UTC 2015-06-20 02:38:24	Language	English
	4822	Encoded date	UTC 2015-06-20 02:38:52
mdhd_Duration	4822		
		Tagged date	UTC 2015-06-20 02:38:52
		mdhd_Duration	6281
Audio		Audio	
ID	2	ID ID	2
Format	AAC	Format	AAC
Format/Info	Advanced Audio Codec	Format/Info	Advanced Audio Codec
Format profile	LC	Format profile	LC
Codec ID	40	Codec ID	40
Duration	5c 35mc	Duration	6s 613ms
Source duration	5s 44ms	Bit rate mode	Constant
Source_Duration_FirstFrame	9ms	Bit rate	156 Kbps
Bit rate mode	Constant	Nominal bit rate	96.0 Kbps
Bit rate	156 Kbps	Channel(s)	2 channels
Nominal bit rate	96.0 Kbps	Channel positions	Front: LR
	2 channels		48 O KH2
Channel(s)		Sampling rate	
Channel positions	Front: L R	Compression mode	Lossy
Sampling rate	48.0 KHz	Stream size	126 KiB (1%)
Compression mode	Lossy	Title	SoundHandle
Stream size	95.9 K(B (1%)	Language	English
			UTC 2015-06-20 02:38:52
Source stream size	95.9 KiB (1%)	Encoded date	
Title	SoundHandle	Tagged date	UTC 2015-06-20 02:38:52
Language	English	mdhd Duration	6613
Encoded date	UTC 2015-06-20 02:38:24		
Tagged date	UTC 2015-06-20 02:38:24		
mdhd Duration	5035		

Figure 24. Comparison of two LG G3 Samples to Validate MediaInfo Properties

When comparing the two files, MediaInfo reported a property in one file that it didn't in the other: Source Duration. A series of additional test videos were created originally thinking that the presence of the Source Duration property might correlate to the duration of the video itself, in other words, a short video would not store that property but a longer video would. In testing, no correlation could be found to explain the presence or absence of this property reporting in MediaInfo. However, the box structure analysis with AtomicParsley did remain consistent throughout testing. In this case, the presence or absence of the Source Duration property has no effect on the authentication of the LG G3 video clips being examined but it is important to make note of any inconsistencies when examining files.

The Source Duration property was attached to both the audio and video tracks so the Track Box ('trak') and Media Header Box ('mdia') for each stream

were parsed manually and each contained duration information. This is an excellent demonstration of the importance that should be placed on parsing manually when any inconsistencies are observed, in order to better understand the output of the tools being used for analysis and to better understand the structure of the files in question before making a meaningful decision based on the results of analysis.

To continue validating the LG G3, one of the full resolution video clips was compared to a lower resolution, slow motion recording mode available on the device. The structure of these two files were then parsed and compared.




Figure 25. Comparison of two LG G3 File Structures in Different Recording Modes (Full Resolution vs. Slow Motion)

The box structure using the two different modes on the LG G3 remained consistent. For the sake of further validation, the files were compared using Media Info.

General		General	
Complete name	3840x2160-LG-G3-2015-06-20 02.38.24-JH.mp4	Complete name	1280x720-LG-G3-SLOMO-2015-07-06 17.58.57-JH.mg
Format	MPEG-4	Format	MPEG-4
Format profile	Base Media / Version 2	Format profile	Base Media / Version 2
Codec ID	mo42	Codec ID	mp42
File size	17.7 MiB	File size	14.8 MiB
Duration	5s 35ms	Duration	9s 984ms
Overall bit rate	29.4 Mbps	Overall bit rate	12.4 Mbps
Performer	LGE	Performer	LGE
Encoded date	UTC 2015-06-20 02:38:24	Encoded date	UTC 2015-07-06 17:58:57
Tagged date	UTC 2015-06-20 02:38:24	Tagged date	UTC 2015-07-06 17:58:57
ragged date	010 2025 00 20 02:30:24	THE COURT	010 2023-07-00 27-30-37
Video		Video	
ID	1	ID	1
Format	AVC	Format	AVC
Format/Info	Advanced Video Codec	Format/Info	Advanced Video Codec
Format/mio	High@L5.1	Format profile	Raseline®I 3 1
	Ves Ves		
Format settings, CABAC		Format settings, CABAC	No
Format settings, ReFrames	1 frame	Format settings, ReFrames	1 frame
Format settings, GOP	M=1, N=30	Format settings, GOP	M=1, N=31
Codec ID	avc1	Codec ID	avc1
Codec ID/Info	Advanced Video Coding	Codec ID/Info	Advanced Video Coding
Duration	4s 822ms	Duration	9s 982ms
Bit rate	29.9 Mbps	Bit rate	11.9 Mbps
Width	3 840 pixels	Width	1 280 pixels
Height	2 160 pixels	Height	720 pixels
Display aspect ratio	16:09	Display aspect ratio	16:09
Frame rate mode	Variable	Frame rate mode	Variable
Frame rate	29.451 fps	Frame rate	29.452 fps
Minimum frame rate	29.221 fps	Minimum frame rate	29.183 fps
Maximum frame rate	29.703 fps	Maximum frame rate	29.742 fps
Color space	YUV	Color space	YUV
Chroma subsampling	4:02:00	Chroma subsampling	4:02:00
Bit depth	8 bits	Bit depth	8 bits
Scan type	Progressive	Scan type	Progressive
Bits/(Pixel*Frame)	0.122	Bits/(Pixel*Frame)	0.44
Stream size	17.2 MiB (97%)	Stream size	14.2 MiB (96%)
Stream size Title		Title	VideoHandle
	VideoHandle		
Language	English	Language	English
Encoded date	UTC 2015-06-20 02:38:24	Encoded date	UTC 2015-07-06 17:58:57
Tagged date	UTC 2015-06-20 02:38:24	Tagged date	UTC 2015-07-06 17:58:57
mdhd_Duration	4822		
Audio		Audio	
ID	2	ID	2
Format	AAC	Format	AAC
Format/Info	Advanced Audio Codec	Format/Info	Advanced Audio Codec
Format profile	LC	Format profile	LC
Codec ID	40	Codec ID	40
Duration	40 5c 35mc	Duration	9c 9Ráms
Source duration	5s 44ms	Source duration	9s 989ms
Source_Duration_FirstFrame	9ms	Source Duration FirstFrame	Sms
Bit rate mode	Constant	Bit rate mode	Constant
Bit rate	156 Kbps	Bit rate	156 Kbos
Nominal bit rate	96.0 Kbps	Nominal bit rate	96.0 Kbps
Channel(s)	2 channels	Channel(s)	2 channels
Channel positions	Front: L R	Channel positions	Front: L R
Sampling rate	48.0 KHz	Sampling rate	48.0 KHz
Compression mode	Lossy	Compression mode	Lossy
Stream size	95.9 KiB (1%)	Stream size	190 KiB (1%)
Source stream size	95.9 KB (1%)	Source stream size	190 KiB (1%)
Source stream size Title	95.9 KiB (1%) SoundHandle	Source stream size	SoundHandle
Language	English	Language	English
Encoded date	UTC 2015-06-20 02:38:24	Encoded date	UTC 2015-07-06 17:58:57
Tagged date	UTC 2015-06-20 02:38:24	Tagged date	UTC 2015-07-06 17:58:57

Figure 26. Comparison of two LG G3 File Properties in Different Recording Modes (Full Resolution vs. Slow Motion)

The results reported by MediaInfo confirmed the different properties of the two files but again reported some properties in one file and not in the other. In this case, the Media Header Box ('mdhd') duration was not reported in the lower resolution file. Again, this information exists in both files but MediaInfo failed to report it for the second file. Further analysis of files using MediaInfo revealed that the absence or presence in reporting Source Duration or Media Header Box ('mdhd') duration occurred throughout the analysis for this paper. Multiple tests of multiple files were performed and in some cases the same file was examined multiple times. MediaInfo never returned a different result when examining the same file multiple times but there were simply some files that it would report these properties on and others that it would not.

After establishing that the LG G3 creates files with consistent structure, a comparison was made with the Motorola Moto X 2013. The Motorola Moto X

2013 would only record in one mode; the device was validated against itself to confirm that it made consistently structured recordings.

By visualizing the structure of these two files, it is possible to quickly compare them in order to determine if they have a matching structure of boxes or if they are different in some way. In the case of the LG G3 and the Motorola Moto X 2013, the file structures are very similar but the LG G3 includes a User Data ('udta') box which contains a number of boxes that are unique to the LG device: 'auth', 'adzc', 'adzm', and 'adze'. The ISO/IEC 14496-12:2005(E) standard only defines a copyright notice to be contained inside a User Data Box ('udta') but it is an extensible container which can be used as the manufacturer sees fit as in the case of the LG G3. Were it not for this 'udta' box and its contents, the structure of the two files is otherwise identical and it would be necessary to parse out the identifying properties of the files themselves.





Figure 27. Comparison of LG G3 and Moto X (2013) Structure

When comparing the Motorola Moto X and the Samsung S5, the structure is clearly unique between the two devices. Most notably, the Samsung S5 places the 'moov' box after the 'mdat' box but Samsung also inserts a User Data ('udta') box containing three additional boxes: 'SDLN', 'smrd', and 'smta'. The placement of the Movie Data Box ('mdat') before the Movie Box ('moov') is notable because ISO/IEC 14496-12:2005(E) specifically recommends placing the descriptive information of a MPEG-4 file before the data itself. This recommendation is to facilitate the streaming of the video. In this case, the video from the Moto X could be streamed because the file type header and descriptive data for the video content itself would be received then the playback would begin streaming the audio and video data contained in the 'mdat' box. The file created by the Samsung Galaxy S5 could not be streamed because in order for playback to occur, the entire file would need to be loaded in order to receive the descriptive content in the 'moov' box to then be able to interpret the data contained in the 'mdat' box.



When comparing file structure across Samsung devices, they are expectedly similar. The Galaxy S3 and Galaxy S5 have identical structures while the S4 Zoom has a structure that differs only slightly from the S3 and S5 in its User Data Box ('udta').




Figure 29. Comparison of Samsung S3, S4 Zoom, and S5 Structure

Presented with two files of identical box structure, the next step in authenticating these files should be to examine their properties in order to make further attempt to authenticate them to a known device. Using MediaInfo, the properties of these two files can be examined and compared to quickly identify any characteristics that would differentiate the two files. In the case of these two files being examined, MediaInfo reports that the resolution of the two files is different.



Figure 30. MediaInfo Comparison of Samsung S3 and Samsung S5

When examining the individual files, it is important to understand where MediaInfo is deriving this information. ISO/IEC 14496-12:2005(E) requires that the horizontal and vertical resolution of a file be defined in the Sample Description Box ('stsd') which is contained in the Sample Table Box ('stbl'), which is ultimately contained in the Track Box ('trak') for the video stream of the respective files. In the Samsung Galaxy S3 and Samsung Galaxy S5, this data is represented in two unsigned 16-bit integers beginning at an offset of 0x31 from the beginning of the Sample Table Box ('stbl'). The first two bytes represent the horizontal resolution (in green) and the second two bytes represent the vertical resolution (in blue).




Figure 31. Comparison of 'stbl' Boxes in Samsung S3 (top) and S5 (bottom)

The maximum resolution that the Galaxy S3 can record is 1920x1080 where the maximum video resolution of the Galaxy S5 is 3840x2160. Therefore, in this example, while the box structure of the two files is identical, an analysis of the contents of the Sample Description Box ('stsd') can be examined to determine more specific properties of the video files in order to authenticate them. This is a valid means of authenticating a video whose MPEG-4 box structure is identical to determine if it is the correct resolution for the device in question. This specific technique has a limitation if a device capable of recording in a lower resolution than its maximum resolution is compared against a second device recording at the same resolution. In the study for this paper, when a Samsung Galaxy S3 recording at its maximum resolution of 1920x1080 is compared against a Samsung Galaxy S5 recording at a lower than maximum resolution of 1920x1080, the files appear identical both in structure and in

metadata. MediaInfo confirms the resolutions of both files as being identical and other than small variances in the frame rate, which should not be considered a viable means of differentiating the files in this case, there is no meaningful data to exclude these two files from being a match as the same device.

This result was not unexpected or surprising. The Samsung devices show a great number of similarities in their file structure and metadata including the contents of their User Data Box ('udta'). In this example, both devices report the same video format profile. In both Samsung files, the video format profile is reported as 'High@L4'. Looking back at the MediaInfo output of a Samsung Galaxy S5 video recorded at 3840x2160, the video format profile is reported as 'High@L5.1'. This is a second way to differentiate between the Samsung Galaxy S3 and Galaxy S5 recording at their maximum resolutions. These descriptors do not appear to be standardized in any way and appear to define the quality of encoding on the device.[18]



Figure 32. MediaInfo Comparison of Samsung S5 Between Recording Modes

While Samsung maintains a constant structure of video format profiles across the Samsung Galaxy S3 and Galaxy S5, this is a matter left up to the manufacturer and is in no way defined by ISO/IEC 14496-12:2005(E). When applying the same technique of analysis to a different set of identically structured files from a different manufacturer, the results are different. The HTC One M7 and the HTC One M8 create files of identical MPEG-4 box structure.




Figure 33. Comparison of HTC One M7 and HTC One M8 Structure

While the file structures are identical when analyzed with MediaInfo, their metadata begins to reveal differences. Both files are recorded in identical resolution but the File Type Box ('ftyp') reveals that the M7 identifies its file with a file type of 'mp42' representing the ISO/IEC 14496-14 standard while the M8 identifies with the file type 'isom' representing an ISO Base Media file. This should be an immediate cause for the two files to be viewed as originating from different devices but HTC uses a different video format profile in the two devices.

The HTC One M7 reports a video format profile of 'Baseline @L4' and the HTC One M8 reports a video format profile of 'High@L4'.

General		General	
Complete name	1920x1080-HTC-One-M7-HD-MC-1.mp4	Complete name	1920x1080-htc one m8 01.mp
Format	MPEG-4	Format	MPEG-4
Format profile	Base Media / Version 2	Format profile	Base Media
Codec ID	mp42	Codec ID	isom
File size	14.1 MiB	File size	48.7 MiB
Duration	5s 504ms	Duration	20s 203ms
Overall hit rate	21.5 Mbps	Overall bit rate	20.2 Mbps
Encoded date	UTC 2015-04-28 00:54:03	Encoded date	UTC 2014-04-03 08:02:33
Tagged date	UTC 2015-04-28 00:54:03	Tagged date	UTC 2014-04-03 08:02:33
ragged date	010 2010 04 20 00.04.00	ragged date	010 2014 04 00 00.02.00
Video		Video	
ID	1	ID	1
Format	AVC	Format	AVC
Format/Info	Advanced Video Codec	Format/Info	Advanced Video Codec
Format profile	Baseline@L4	Format profile	High@L4
Format settings, CABAC	No	Format settings, CABAC	Yes
Format settings, ReFrames	1 frame	Format settings, ReFrames	1 frame
Format settings, GOP	M=1, N=31	Format settings, GOP	M=1. N=60
Codec ID	avc1	Codec ID	avc1
Codec ID/Info	Advanced Video Coding	Codec ID/Info	Advanced Video Coding
Duration	5s 500ms	Duration	20s 195ms
Source duration	5s 506ms	Bit rate	19.7 Mbps
Bit rate		Width	
Bit rate Width	20.1 Mbps 1 920 pixels	Wiath Height	1 920 pixels 1 080 pixels
			16:09
Height	1 080 pixels	Display aspect ratio Frame rate mode	
Display aspect ratio	16:09		Variable
Rotation	90°	Frame rate	30.354 fps
Frame rate mode	Variable	Minimum frame rate	30.313 fps
Frame rate	29.970 fps	Maximum frame rate	30.395 fps
Minimum frame rate	25.561 fps	Color space	YUV
Maximum frame rate	30.303 fps	Chroma subsampling	4:02:00
Color space	YUV	Bit depth	8 bits
Chroma subsampling	4:02:00	Scan type	Progressive
Bit depth	8 bits	Bits/(Pixel*Frame)	0.313
Scan type	Progressive	Stream size	47.5 MiB (97%)
Bits/(Pixel*Frame)	0.323	Title	VideoHandle
Stream size	13.2 MiB (94%)	Language	English
Source stream size	13.2 MiB (94%)	Encoded date	UTC 2014-04-03 08:02:33
Title	VideoHandle	Tagged date	UTC 2014-04-03 08:02:33
Language	English	ragged date	010 2014 04 00 00.02.00
Encoded date	UTC 2015-04-28 00:54:03		
Tagged date	UTC 2015-04-28 00:54:03		
mdhd Duration	5500		
_			
Audio		Audio	
ID	2	ID	2
Format	AAC	Format	AAC
Format/Info	Advanced Audio Codec	Format/Info	Advanced Audio Codec
Format profile	LC	Format profile	LC
Codec ID	40	Codec ID	40
Duration	5s 504ms	Duration	20s 203ms
Bit rate mode	Constant	Source duration	20s 209ms
Bit rate	192 Kbps	Bit rate mode	Constant
Nominal bit rate	96.0 Kbps	Bit rate	192 Kbps
Channel(s)	2 channels	Nominal bit rate	96.0 Kbps
Channel positions	Front L R	Channel(s)	2 channels
Sampling rate	48.0 KHz	Channel positions	Front L R
Compression mode	Lossy	Sampling rate	48.0 KHz
Stream size	129 K/B (1%)	Compression mode	Lossy
Stream size		Stream size	
	SoundHandle		470 KiB (1%)
Language	English	Source stream size	470 KiB (1%)
Encoded date	UTC 2015-04-28 00:54:03	Title	SoundHandle
Tagged date	UTC 2015-04-28 00:54:03	Language	English
		Encoded date	UTC 2014-04-03 08:02:33
		Tagged date	UTC 2014-04-03 08:02:33
		mdhd Duration	20203

Figure 34. MediaInfo Comparison of HTC One M7 and HTC One M8

Not all devices of identical manufacturer create files of identical structure requiring further analysis. In the case of the two Panasonic Lumix devices analyzed, the structure is enough to differentiate between the two files.




Figure 35. Comparison of Panasonic Lumix DMC-TS5 and Panasonic Lumix DMC-CM1 Structure

Different devices record different amounts of metadata about the device itself. The devices analyzed so far contain no meaningful amount of metadata about the recording device itself and at best can only be identified by their file structure and metadata. In the case of the GoPro Hero 3, there is a staggering amount of forensically relevant metadata contained within the file structure of every video created on a given device.




Figure 36. GoPro Hero 3 Structure

Examining the structure of a sample Go Pro Hero 3 file reveals an extensive structure of MPEG-4 Boxes including three instances of a Track Box ('trak') instead of the two that have been observed in other files. The GoPro also includes a number of manufacturer-specific boxes contained in the User Data Box ('udta'). Of increasing interest are the containers 'FIRM', 'LENS', and 'CAME'. While 'FIRM' and 'LENS' both contain useful metadata, 'CAME' simply records the serial number of the device. This is an extraordinary piece of data unique to the GoPro devices examined for this paper.



Figure 37. Parsing GoPro FIRM Box

Offset	0	1	2	3	4	- 5	- 6	- 7	8	9	A	В	С	D	E	F	
000000B0	0.0	0.0	0.0	38	4C	45	4E	53	4C	57	31	33	30	38	32	31	8LENSLW130821
000000C0	30	33	30	30	31	33	30	32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	03001302
000000D0	00	0.0	0.0	0.0	0.0	00	0.0	00	0.0	0.0	0.0	0.0	0.0	0.0	00	0.0	
000000E0	0.0	0.0	0.0	0.0	0.0	00	0.0	00	00	00	00	18	43	41	4 D	45	CAME
000000F0	48	33	42	2B	42	30	38	31	33	33	39	38	43	32	31	00	H3B+B0813398C21
00000100	00	00	00	10	53	45	54	54	03	E0	00	10	00	00	A1	84	SETT à i∎

Figure 38. Parsing GoPro LENS Box

Offset	0	1	2	3	4	5	6	7	8	9	A	В	С	D	E	F	
000000E0	0.0	00	00	00	0.0	00	00	00	0.0	0.0	0.0	18	43	41	4D	45	CAME
000000F0	48	33	42	2B	42	30	38	31	33	33	39	38	43	32	31	00	H3B+B0813398C21
00000100	0.0	00	00	10	53	45	54	54	0.3	E0	00	10	00	00	A1	84	SETT à i∎
00000110	00	0.0	0.0	80	41	4D	42	41	0.0	10	00	09	01	01	0F	00	■ AMBA

Figure 39. Parsing GoPro CAME Box

In order to demonstrate the unique nature of the 'CAME' box, the User

Data Box ('udta') of two different model Go Pro devices were compared to show
the unique nature of the 'CAME' box and its ability to identify the model and serial
number of each device.




Figure 40. Comparison of two different GoPro User Data Boxes ('udta')

Analyzing the example GoPro file with MediaInfo reveals a number of self-identifying properties referring to the GoPro by name as well as more information about the third Track Box ('trak'). This box contains a QuickTime time code track which is unique to the GoPro among the devices examined for this paper.

General Complete name	1920x1080-GOPRO-HERO3-GOPR1683-BL.MP
Format	MPEG-4
	JVT
Format profile Codec ID	avc1
File size	22.5 MiB
Duration	7s 174ms
Overall bit rate	26.3 Mbps
Encoded date	UTC 2015-04-26 17:57:07
Tagged date	UTC 2015-04-26 17:57:07
AMBA	
Video	
ID	1
Format	AVC
Format/Info	Advanced Video Codec
Format profile	Main@L4.2
Format settings, CABAC	Yes
Format settings, ReFrames	
Format settings, GOP	M=1, N=8
Codec ID	avc1
Codec ID/Info	Advanced Video Coding
Duration	7s 174ms
Bit rate mode	Constant
Bit rate	25.0 Mbps
Width	1 920 pixels
Height	1 080 pixels
Display aspect ratio	16:09
Frame rate mode	Constant
Frame rate	59.940 fps
Color space	YUV
Chroma subsampling	4:02:00
Bit depth	8 bits
Scan type	Progressive
Bits/(Pixel*Frame)	0.201
Stream size	21.2 MiB (94%)
Title	GoPro AVC
Language	English
Encoded date	UTC 2015-04-26 17:57:07
Tagged date	UTC 2015-04-26 17:57:07
Color range	Full
Color primaries	BT.709
Transfer characteristics	BT.709
Matrix coefficients	BT.709
Audio	
ID	2
Format	AAC
Format/Info	Advanced Audio Codec
Format profile	LC
Codec ID	40
Duration	7s 168ms
Bit rate mode	Constant
Bit rate	128 Kbps
	2 channels
Channel positions	
Channel positions	Front: L R
Sampling rate	48.0 KHz
Compression mode	Lossy
Stream size	112 KiB (0%)
Title	GoPro AAC
Language	English
Encoded date	UTC 2015-04-26 17:57:07
Tagged date	UTC 2015-04-26 17:57:07
Other	
ID	3
Туре	Time code
Format	QuickTime TC
Duration	7s 174ms
Time code of first frame	17:56:02:26
Time code, striped	Yes
Language	English
C	UTC 2015-04-26 17:57:07
Encoded date Tagged date	UTC 2015-04-26 17:57:07

Figure 41. GoPro Hero 3 MediaInfo Analysis

In addition to the identifying serial numbers contained in the metadata of the GoPro recordings, if an owner has entered their name in the camera menu this information will also be displayed in the User Data Box ('udta'). In the research for this paper there were no tools that will parse out the User Data Box ('udta') box of a GoPro recording. This remarkably valuable information can only be found by parsing the file manually using a hex editor.

When using AtomicParsley to analyze the Samsung ST200F, a number of UUID's are returned as part of the file structure: 50524f46-21d2-4fce-bb88-695cfac9c740 contained in the top level of the file, and two instances of 55534d54-21d2-4fce-bb88-695cfac9c740 occurring once in each of the two Trak Boxes ('trak'). Atomic Parsley returns the UUID as a box identified with the prefix "uuid=" and returns the formatted UUID as part of its standard output. In order to analyze the UUID's present in the video from the Samsung ST200F, the output of MediaInfo was examined to specifically establish a baseline of the encoding date and time. Since a UUID could possibly represent time and a MAC address[19], it would be an important development if the embedded data contained meaningful data regarding the time and date of the recording and possibly a unique identifying number of the recording device itself.



Figure 42. Samsung ST200F Structure and MediaInfo Analysis

No meaningful connection was discovered between the UUID data returned by AtomicParsley and the embedded timestamps contained within the MPEG-4 structure of the file, it is worth examining the UUID box that AtomicParsley is identifying in this sample file. The AtomicParsley output can be verified with a hexadecimal analysis of the file. In this case, the box structure of the UUID box is correctly formatted with 0x04 bytes representing the box size of 0x94 bytes, a box name of 'uuid', followed by the content of the box. In this example, the hexadecimal 0x50524F4621D24FCEBB88695CFAC9C740 is the string being interpreted as the UUID by AtomicParsley. Other meaningful pieces of this box include 'mp4a' at offset 0x60 and 'avc1' at offset 0x8C but neither offer any insight into the meaning of the UUID included in this file.

Offset	0	1	2	3	4	- 5	6	7	8	9	A	В	С	D	E	F	
00000000	00	00	00	1C	66	74	79	70	4D	53	4E	56	01	29	00	46	ftypMSNV) F
00000010	4D	53	4E	56	6D	70	34	32	69	73	6F	6D	0.0	0.0	0.0	94	MSNVmp42isom
00000020	75	75	69	64	50	52	4F	46	21	D2	4F	CE	BB	88	69	5C	uuidPROF!ÒOλ∥i\
00000030	FA	C9	C7	40	0.0	00	0.0	00	0.0	00	00	03	00	00	0.0	14	úÉÇ@
00000040	46	50	52	46	0.0	00	00	00	0.0	00	00	00	00	00	00	00	FPRF
00000050	00	00	0.0	2C	41	50	52	46	0.0	00	00	00	00	00	00	02	, APRF
00000060	6D	70	34	61	0.0	00	02	0F	0.0	00	00	00	00	00	0.0	80	mp4a
00000070	00	00	0.0	80	0.0	00	AC	44	0.0	00	00	01	00	00	00	34	□ ¬D 4
00000080	56	50	52	46	0.0	00	0.0	00	0.0	00	0.0	01	61	76	63	31	VPRF avc1
00000090	01	4D	0.0	28	0.0	02	00	02	0.0	00	20	66	00	00	3E	80	M (f > ■
000000A0	00	1E	00	00	0.0	1E	00	00	05	00	02	D0	00	01	00	01	Ð
000000B0	00	00	00	08	66	72	65	65	01	95	9B	76	6D	64	61	74	free ∥∥vmdat
000000C0	00	00	FC	B4	25	88	84	00	Α7	FE	76	02	D8	A3	7E	12	ü′%∎∎ Sþv Ø£~

Figure 43. Samsung ST200F UUID Hexadecimal Analysis

The Sony Cybershot DSC-QX10, another camera examined for this paper, included a series of UUID's. The DSC-QX10 contained three UUID's as part of its file structure, just as the Samsung ST200F did, but the UUID's aren't just in the same positions in the structure of the file the UUID's are identical to those contained in the Samsung ST200F file.




Figure 44. Sony Cybershot DSC-QX10 Structure

A comparison of the two sample files from the Samsung ST200F and Sony Cybershot DSC-QX10 shows that the hexadecimal structure of what is being interpreted as the UUID at the top level of the file, along with the rest of the contents of that box, is identical.




Figure 45. Comparison of Samsung ST200F and Sony Cybershot DSC-QX10 UUID

A comparison of the two sample files in MediaInfo reveals that both files that share a common series of UUID's also share a Codec ID of MSNV. This codec is defined by the MPEG-4 Registration Authority as being for the Sony PlayStation Portable. Further analysis is necessary to confirm the theory that these UUID's are placed in the file structure in order to support the Sony PlayStation Portable but, in the files collected for this paper, these were the only two devices that created files in this format. It should be noted that regardless of the UUID's present, these two files can still be differentiated between one another based on their respective file structures and the presence or absence of

the 'free' box which exists in files created by the Samsung ST200F but not in the Sony Cybershot DSC-QX10.

General		General	
Complete name	1280x720-samsung_st200f_01.mp4	Complete name	1440x1080-sony_cybershot_dsc_qx10_01.mp4
Format	MPEG-4	Format	MPEG-4
Format profile	Sony PSP	Format profile	Sony PSP
Codec ID	MSNV	Codec ID	MSNV
File size	25.4 MiB	File size	34.3 MiB
Duration	25s 200ms	Duration	23s 524ms
Overall bit rate	8 446 Kbps	Overall bit rate mode	Variable
Encoded date	UTC 2012-06-01 17:13:01	Overall bit rate	12.2 Mbps
Tagged date	UTC 2012-06-01 17:13:01	Encoded date	UTC 2013-01-01 01:40:13
		Tagged date	UTC 2013-01-01 01:40:36
Video		Video	
ID	1	ID	1
Format	AVC	Format	AVC
Format/Info	Advanced Video Codec	Format/Info	Advanced Video Codec
Format profile	Main@L4	Format profile	Main@L4
Format settings, CABAC	Yes	Format settings, CABAC	Yes
	1 frame	Format settings, ReFrames	2 frames
Format settings, GOP	M=1. N=8	Codec ID	avc1
Codec ID	avc1	Codec ID/Info	Advanced Video Coding
Codec ID/Info	Advanced Video Coding	Duration	23s 524ms
Duration	25s 200ms	Bit rate mode	Variable
Bit rate	8 310 Kbps	Bit rate	12.1 Mbps
Width	1 280 pixels	Maximum bit rate	16.0 Mbps
Height	720 pixels	Width	1 440 pixels
Display aspect ratio	16:09	Height	1 080 pixels
Frame rate mode	Constant	Display aspect ratio	16:09
Frame rate	30.000 fps	Frame rate mode	Constant
Color space	YUV	Frame rate	29.970 fps
Chroma subsampling	4:02:00	Color space	YUV
Bit depth	8 bits	Chroma subsampling	4:02:00
Scan type	Progressive	Bit depth	8 bits
Bits/(Pixel*Frame)	0.301	Scan type	Progressive
Stream size	25.0 MiB (98%)	Bits/(Pixel*Frame)	0.26
Encoded date	UTC 2012-06-01 17:13:01	Stream size	33.9 MiB (99%)
Tagged date	UTC 2012-06-01 17:13:01	Encoded date	UTC 2013-01-01 01:40:13
ragged date	010 2012-00-01 17.13.01	Tagged date	UTC 2013-01-01 01:40:36
Audio		Audio	
<u>Audio</u> ID	2	ID.	2
Format	AAC	Format	AAC
Format/Info	Advanced Audio Codec	Format/Info	Advanced Audio Codec
Format/Into	LC Advanced Audio Codec	Format/into	Advanced Audio Codec
	40		40
Codec ID Duration	40 25s 194ms	Codec ID Duration	23s 509ms
Bit rate mode	Constant	Bit rate mode	Constant
Bit rate	128 Kbps	Bit rate	128 Kbps
Channel(s)	1 channel	Channel(s)	2 channels
Channel positions	Front: C	Channel positions	Front: L R
Sampling rate	44.1 KHz	Sampling rate	48.0 KHz
Compression mode	Lossy	Compression mode	Lossy
Stream size	394 KiB (2%)	Stream size	366 KiB (1%)
Encoded date	UTC 2012-06-01 17:13:01	Encoded date	UTC 2013-01-01 01:40:13
Tagged date	UTC 2012-06-01 17:13:01	Tagged date	UTC 2013-01-01 01:40:36

Figure 46. MediaInfo Comparison of Samsung ST200F and Sony Cybershot DSC-QX10

The Samsung ST200F and Sony Cybershot are not the only devices with UUID's examined for this paper. Two other devices contained UUID's: Canon IXUS 265 and the Panasonic Lumix DMC-TZ57. A comparison of their file structures reveals that they are distinguishable from one another based on their MPEG-4 box structures and they contain UUID's which are unique to each respective device.




Figure 47. Comparison of Canon IXUS 265 and Panasonic Lumix DMC-TZ57 Structure

Unfortunately, neither of these UUID's contained a timestamp that matched the embedded timestamps in the MPEG-4 standard. MediaInfo returns data which helps to support the differentiation between the two files but adds no support for the correlation between the properties of the files, as it did with Sony PlayStation Portable formatting in the cases of the Samsung ST200F and the Sony Cybershot DSC-QX10. When comparing these two files it is important to note that while their file structures showed clear differences between the two files their reports from MediaInfo were remarkably similar.

General		General	
Complete name	1920x1080-canon ixus 265 hs 01.mp4	Complete name	1920x1080-Panasonic-Lumix-DMC-TZ57 01.mg
ormat	MPEG-4	Format	MPEG-4
Format profile	Base Media / Version 2	Format profile	Base Media / Version 2
Codec ID	mp42	Codec ID	mp42
File size	76.0 MiB	File size	41.3 MiB
Duration	20s 387ms	Duration	16s 800ms
Overall bit rate	31.3 Mbps	Overall bit rate	20.6 Mbps
Encoded date	UTC 2014-05-07 11:02:46	Encoded date	UTC 2015-03-10 11:29:35
Tagged date	UTC 2014-05-07 11:02:46	Tagged date PANA	UTC 2015-03-10 11:29:35 DMC-TZ57
Video		Video	
ID .	1	ID ID	1
Format	AVC	Format	AVC
Format/Info	Advanced Video Codec	Format/Info	Advanced Video Codec
Format profile	Baseline@L4.1	Format profile	High@L4
Format settings, CABAC	No	Format settings, CABAC	No
Format settings, ReFrames		Format settings, ReFrames	
Format settings, GOP	M=1, N=15	Format settings, GOP	M=1, N=15
Codec ID	avc1	Muxing mode	Container profile=Baseline@4.0
Codec ID/Info	Advanced Video Coding	Codec ID	avc1
Duration	20s 387ms	Codec ID/Info	Advanced Video Coding
Bit rate	30.4 Mbps	Duration	16s 800ms
Width	1 920 pixels	Bit rate	20.5 Mbps
Height	1 080 pixels	Width	1 920 pixels
Display aspect ratio	16:09	Height	1 080 pixels
Frame rate mode	Constant	Display aspect ratio	16:09
Frame rate	29.970 fps	Frame rate mode	Constant
Color space	YUV	Frame rate	25.000 fps
Chroma subsampling	4:02:00	Color space	YUV
Bit depth	8 bits	Chroma subsampling	4:02:00
Scan type	Progressive	Bit depth	8 bits
Bits/(Pixel*Frame)	0.49	Scan type	Progressive
Stream size	74.0 MiB (97%)	Bits/(Pixel*Frame)	0.395
Language	English	Stream size	41.0 MiB (99%)
Encoded date	UTC 2014-05-07 11:02:46		English
	UTC 2014-05-07 11:02:46	Language	UTC 2015-03-10 11:29:35
Tagged date		Encoded date	
Color range	Full	Tagged date	UTC 2015-03-10 11:29:35
Color primaries	BT.709	Color primaries	BT.709
Transfer characteristics	BT.709	Transfer characteristics	BT.709
Matrix coefficients	BT.709	Matrix coefficients	BT.709
Audio		Audio	
D	2	ID	2
Format	AAC	Format	AAC
Format/Info	Advanced Audio Codec	Format/Info	Advanced Audio Codec
Format profile	LC	Format profile	LC
Codec ID	40	Codec ID	40
Duration	20s 373ms	Duration	16s 800ms
Bit rate mode	Constant	Source duration	16s 725ms
Bit rate	128 Kbps	Bit rate mode	Constant
Channel(s)	2 channels	Nominal bit rate	128 Kbps
	Front: L R		
Channel positions		Channel(s)	2 channels
Sampling rate	48.0 KHz	Channel positions	Front: L R
Compression mode	Lossy	Sampling rate	48.0 KHz
Stream size	318 KiB (0%)	Compression mode	Lossy
Language	English	Source stream size	261 KiB (1%)
Encoded date	UTC 2014-05-07 11:02:46	Language	English
Fagged date	UTC 2014-05-07 11:02:46	Encoded date	UTC 2015-03-10 11:29:35
- 55		Tagged date	UTC 2015-03-10 11:29:35

Figure 48. MediaInfo Comparison of Canon IXUS 265 and Panasonic Lumix DMC-TZ57

CHAPTER VI

ANALYSIS OF EDITED FILES

The files examined for this paper that contain the most forensically relevant data are by far those created by the GoPro devices. Being able to identify which make and model of camera a file was created on is one thing but having the recorded evidence of a serial number of the device in question is invaluable. Whether the file being examined came from a GoPro device or from another device that records no meaningful user data, the structure of a file is changed when it is re-encoded. For the purposes of this testing, no edits were made to the contents of the video itself. Sample files from a GoPro and the LG G3 were simply re-encoded using commonly available software tools, being careful to match software settings to export in the MPEG-4 format for each video editing tool. These resulting files were then analyzed using AtomicParsley and MediaInfo to demonstrate the results of this re-encoding.

<u>ffmpeg</u>

The first tool tested was ffmpeg, a piece of software released under the GNU General Public License. It is a powerful audio and video encoder and decoder at the base of many video editing software tools. For the purpose of testing ffmpeg, v2.6.2 was used to read the video format of the original file and create a re-encoded copy of the file using the '-c:v copy' flag for processing. This flag instructs ffmpeg to not re-encode the video when processing and creates an exact copy of the existing video stream. Comparing the output of an

original GoPro video file and a file re-encoded using ffmpeg, shows a clear change in the MPEG-4 structure.




Figure 49. Comparison of Original GoPro Hero 3 and ffmpeg Encoded File Structure

The changes to the structure of the ffmpeg encoded file are distinct and unmistakable. All of the forensically significant user data present in the original GoPro file has been stripped away and when the re-encoded file is further

analyzed with MediaInfo, many other changes to the properties of the edited file can be observed. The format profile and codec have changed from 'JVT' (Joint Video Team) and 'avc1' to 'Base Media' and 'isom'. ffmpeg also zeroes out the embedded timestamps which are reported as the epoch time of January 1, 1904. Among the other changes to the properties of the re-encoded file, another notable addition is the string "Lavf56.25.101" MediaInfo reports as the Writing Application and is contained in the User Data Box ('udta') located at the end of the re-encoded file. The string corresponds with the 'libavformat' library called by ffmpeg therefore it would be possible to further determine which version of ffmpeg was used for encoding.

General Complete name	1920x1080-GOPRO-HERO3-GOPR1682-BL.mp4	General Complete name	gopro_ffmpeg.mp4
	MPEG-4		MPEG-4
Format		Format	
Format profile	JVT	Format profile	Base Media
Codec ID	avc1	Codec ID	isom
File size	20.3 MiB	File size	21.3 MiB
Duration	6s 440ms	Duration	7s 202ms
Overall bit rate	26.5 Mbps	Overall bit rate mode	Constant
Encoded date	UTC 2015-04-26 17:56:56	Overall bit rate	24.8 Mbps
Tagged date	UTC 2015-04-26 17:56:56	Encoded date	UTC 1904-01-01 00:00:0
AMBA	010 2510 07 25 11.50.50	Tagged date	UTC 1904-01-01 00:00:0
,		Writing application	Lavf56.25.101
		Writing application	Lavi30.23.101
Video		Video	
ID	1	ID	1
Format	AVC	Format	AVC
Format/Info	Advanced Video Codec	Format/Info	Advanced Video Codec
Format profile	Main@L4.2	Format profile	Main@L4.2
Format settings, CABAC	Yes	Format settings, CABAC	Yes
Format settings, ReFrames	1 frame	Format settings, ReFrames	1 frame
Format settings, GOP	M=1, N=8	Format settings, GOP	M=1. N=8
Codec ID	avc1	Codec ID	avc1
Codec ID/Info		Codec ID/Info	
	Advanced Video Coding		Advanced Video Coding
Duration	6s 440ms	Duration	7s 174ms
Bit rate mode	Constant	Bit rate mode	Constant
Bit rate	25.0 Mbps	Bit rate	25.0 Mbps
Width	1 920 pixels	Width	1 920 pixels
Height	1 080 pixels	Height	1 080 pixels
Display aspect ratio	16:09	Display aspect ratio	16:09
Frame rate mode	Constant	Frame rate mode	Constant
Frame rate	59.940 fps	Frame rate	59.940 fps
Color space	YUV	Color space	YUV
Chroma subsampling	4:02:00	Chroma subsampling	4:02:00
Bit depth	8 bits	Bit depth	8 bits
Scan type	Progressive	Scan type	Progressive
Bits/(Pixel*Frame)	0.201	Bits/(Pixel*Frame)	0.201
Stream size	19.1 MiB (94%)	Stream size	21.2 MiB (99%)
Title	GoPro AVC	Language	English
Language	English	Encoded date	UTC 1904-01-01 00:00:0
Encoded date	UTC 2015-04-26 17:56:56	Tagged date	UTC 1904-01-01 00:00:0
Tagged date	UTC 2015-04-26 17:56:56	Color range	Full
Color range	Full	Color primaries	BT.709
Color primaries	BT.709	Transfer characteristics	BT 709
Transfer characteristics	BT.709	Matrix coefficients	BT.709
Matrix coefficients	BT.709	maa x oodiiioidho	51.700
Audio		Audio	
ID	2	ID.	2
Format	AAC	10	AAC
		Format	
Format/Info	Advanced Audio Codec	Format/Info	Advanced Audio Codec
Format profile	LC	Format profile	LC
Codec ID	40	Codec ID	40
Duration	6s 421ms	Duration	7s 202ms
Bit rate mode	Constant	Duration_LastFrame	-9ms
Bit rate	128 Kbps	Bit rate mode	Constant
Channel(s)	2 channels	Bit rate	128 Kbps
	Front: L R		2 channels
Channel positions		Channel(s)	
Sampling rate	48.0 KHz	Channel positions	Front: L R
Compression mode	Lossy	Sampling rate	48.0 KHz
Stream size	100 KiB (0%)	Compression mode	Lossy
Title	GoPro AAC	Stream size	113 KiB (1%)
Language	English	Language	English
Encoded date	UTC 2015-04-26 17:56:56	Encoded date	UTC 1904-01-01 00:00:0
Tagged date	UTC 2015-04-26 17:56:56	Tagged date	UTC 1904-01-01 00:00:0
Other			
Other ID	3		
Type	Time code		
Format	QuickTime TC		
Duration	6s 440ms		
Time code of first frame	17:55:51:27		
Time code, striped	Yes		
Language	English		
Encoded date	UTC 2015-04-26 17:56:56 UTC 2015-04-26 17:56:56		
Tagged date			

Figure 50. MediaInfo Comparison of Original GoPro Hero 3 and ffmpeg Encoded File

When comparing an original file from the LG G3 to the same file that was re-encoded using ffmpeg, the file structure is again distinctly different from the original. The encoding structure of ffmpeg is also consistent with the re-encoding of the GoPro file.

	1	2	3	4	5	6	7	8		1	2	3	4	5	6	8	9
1	ftyp								1	ftyp							
2	moov								2	free							
3		mvhd							3	mda	t						
4		udta							4	moo	v						
5			auth						5		mvhd						
6			adzc						6		trak						
7			adzm						7			tkhd					
8			adze						8			edts					
9		trak							9				elst				
10			tkhd						10			mdia					
11			mdia						11				mdhd				
12				mdhd					12				hdlr				
13				hdlr					13				minf				
14				minf					14					vmhd			
15					vmhd				15					dinf			
16					dinf				16						dref		
17						dref			17					stbl			
18					stbl				18						stsd		
19						stsd			19							avc1	
20							avc1		20								avc
21								avcC	21						stts		
22								pasp	22						stss		
23						stts			23						stsc		
24						stss			24						stsz		
25						stsz			25						stco		
26						stsc			26		trak						
27						stco			27			tkhd					
28		trak							28			edts					
29			tkhd						29				elst				
30			mdia						30			mdia					
31				mdhd					31				mdhd				
32				hdlr					32				hdlr				
33				minf					33				inf				
34					smhd				34					smhd			
35					dinf				35					dinf			
36						dref			36						dref		
37					stbl				37					stbl			
38						stsd			38						stsd		
39							mp4a		39							mp4a	
40							Ė	esds	40								esd
41						stts			41						stts		
42						stsz			42						stsc		
43						stsc			43						stsz		
44						stco			44						stco		
45	free								45		udta						
	mdat								46			meta					
_									47			1	hdlr				
									48				ilst				
									49				©too				
									50				1111	data			

Figure 51. Comparison of LG G3 Original and ffmpeg Encoded File Structure

MediaInfo reports the same series of changes to the properties in the reencoded LG G3 file as it did with the re-encoded GoPro sample 'file format profile' and 'codec ID' have been modified, the embedded timestamps have been zeroed out, and any identifying metadata has been stripped out and replaced with the same reference to "Lavf56.25.101".

General		General	
Complete name	3840x2160-LG-G3-2015-06-20 02.38.24-JH.mp4	Complete name	LG_ffmpeg.mp4
Format	MPEG-4	Format	MPEG-4
Format profile	Base Media / Version 2	Format profile	Base Media
Codec ID	mp42	Codec ID	isom
File size	17.7 MiB	File size	17.3 MiB
Duration	5s 35ms	Duration	5s 78ms
Overall bit rate	29.4 Mbps	Overall bit rate	28.5 Mbps
Performer	LGE	Encoded date	UTC 1904-01-01 00:00:0
Encoded date	UTC 2015-06-20 02:38:24	Tagged date	UTC 1904-01-01 00:00:0
Tagged date	UTC 2015-06-20 02:38:24	Writing application	Lavf56.25.101
ragged date	010 2013-00-20 02:38:24	Writing application	Lavi30.23.101
Video		Video	
ID	1	ID ID	1
Format	AVC	Format	AVC
Format/Info	Advanced Video Codec	Format/Info	Advanced Video Codec
Format profile	High@L5.1	Format profile	High@L5.1
	Yes		Yes
Format settings, CABAC		Format settings, CABAC	
Format settings, ReFrames	1 frame	Format settings, ReFrames	
Format settings, GOP	M=1, N=30	Format settings, GOP	M=1, N=30
Codec ID	avc1	Codec ID	avc1
Codec ID/Info	Advanced Video Coding	Codec ID/Info	Advanced Video Coding
Duration	4s 822ms	Duration	4s 822ms
Bit rate	29.9 Mbps	Bit rate	29.9 Mbps
Width	3 840 pixels	Width	3 840 pixels
Height	2 160 pixels	Height	2 160 pixels
Display aspect ratio	16:09	Display aspect ratio	16:09
Frame rate mode	Variable	Frame rate mode	Variable
Frame rate	29.451 fps	Frame rate	29.451 fps
Minimum frame rate		Minimum frame rate	29.221 fps
	29.221 fps		
Maximum frame rate	29.703 fps	Maximum frame rate	29.703 fps
Color space	YUV	Color space	YUV
Chroma subsampling	4:02:00	Chroma subsampling	4:02:00
Bit depth	8 bits	Bit depth	8 bits
Scan type	Progressive	Scan type	Progressive
Bits/(Pixel*Frame)	0.122	Bits/(Pixel*Frame)	0.122
Stream size	17.2 MiB (97%)	Stream size	17.2 MiB (100%)
Title	VideoHandle	Language	English
Language	English	Encoded date	UTC 1904-01-01 00:00:0
Encoded date	UTC 2015-06-20 02:38:24	Tagged date	UTC 1904-01-01 00:00:0
Tagged date	UTC 2015-06-20 02:38:24	- 05	
mdhd Duration	4822		
Audio		Audio	
ID	2	ID	2
Format	AAC	Format	AAC
Format/Info	Advanced Audio Codec	Format/Info	Advanced Audio Codec
Format profile	LC	Format profile	LC
Codec ID	40	Codec ID	40
Duration	5s 35ms	Duration	5s 78ms
Source duration	5s 44ms	Bit rate mode	Constant
		Bit rate mode Bit rate	
Source_Duration_FirstFrame			129 Kbps
Bit rate mode	Constant	Channel(s)	2 channels
Bit rate	156 Kbps	Channel positions	Front: L R
Nominal bit rate	96.0 Kbps	Sampling rate	48.0 KHz
Channel(s)	2 channels	Compression mode	Lossy
Channel positions	Front: L R	Stream size	79.7 KiB (0%)
Sampling rate	48.0 KHz	Language	English
Compression mode	Lossy	Encoded date	UTC 1904-01-01 00:00:0
	95.9 KiB (1%)	Tagged date	UTC 1904-01-01 00:00:0
Stream size		-55	
Stream size Source stream size	95.9 KiB (1%)		
Source stream size	95.9 KiB (1%) SoundHandle		
Source stream size Title	SoundHandle		
Source stream size Title Language	SoundHandle English		
Source stream size Title	SoundHandle		

Figure 52. MediaInfo Comparison of Original LG G3 and ffmpeg Encoded File

Adobe Premiere

Example files were tested against re-encoded versions created with Adobe Premiere CC 2015. Files were imported into Premiere and then exported directly back out using the MPEG-4 settings in the software dialog being careful to match encoder settings without creating any edits in the timeline of the videos themselves. An analysis of the file structure reveals a clear difference between the original GoPro recording and the re-encoded file. The User Data Box ('udta') containing the device serial number has been moved within the structure of the

file and modified to contain data from Adobe but not from the original file. Adobe inserts a UUID, as well, but it does not appear to be unique to the file itself.




Figure 53. Comparison of GoPro Hero 3 Original and Adobe Premiere Encoded File Structure

An analysis with MediaInfo reveals that the format profile and codec ID have been modified by Adobe Premiere. The embedded timestamps have been updated from the original time to the time of the re-encoding. There are other changes to the properties of the re-encoded file but most notable is the absence of the QuickTime Time Code track contained in the original GoPro file.

1000 1000 00DD0 UED00 00DD1000 =:		1000 1000
1920x1080-GOPRO-HERO3-GOPR1682-BL.mp4		1920x1080_gopro_premiere.mp
		MPEG-4
JVT	Format profile	Base Media / Version 2
avc1	Codec ID	mp42
		9.91 MiB
		7s 174ms
		11.6 Mbps
		UTC 2015-10-11 01:04:39
UTC 2015-04-26 17:56:56	Tagged date	UTC 2015-10-11 01:04:40
000	©TIM	00:00:00:00
		60000
	©TSZ	1001
	Video	
1		1
		AVC
		Advanced Video Codec
Main@L4.2	Format profile	Main@L4.2
Yes	Format settings, CABAC	Yes
		3 frames
		M=4, N=59
		avc1
Advanced Video Coding		Advanced Video Coding
6s 440ms	Duration	7s 174ms
	Bit rate	11.3 Mbps
		1 920 pixels
		1 080 pixels
1 080 pixels	Display aspect ratio	16:09
16:09		Variable
		59.940 fps
59.940 fps		59.940 fps
YUV	Maximum frame rate	60.000 fps
4:02:00	Standard	NTSC
		YUV
		4:02:00
0.201	Bit depth	8 bits
19.1 MiB (94%)	Scan type	Progressive
		0.091
		9.63 MiB (97%)
		English
UTC 2015-04-26 17:56:56	Encoded date	UTC 2015-10-11 01:04:39
Full	Tagged date	UTC 2015-10-11 01:04:39
RT 700		Limited
		BT.709
BT.709		BT.709
	Matrix coefficients	BT.709
	Audio	
2	ID	2
AAC	Format	AAC
		Advanced Audio Codec
		LC
40	Codec ID	40
6s 421ms	Duration	7s 174ms
		7s 211ms
		Constant
		317 Kbps
Front: L R	Channel(s)	2 channels
		Front: L R
		48.0 KHz
		Lossy
GoPro AAC	Stream size	278 KiB (3%)
English		279 KiB (3%)
		English
UTC 2015-04-26 17:56:56	Encoded date Tagged date	UTC 2015-10-11 01:04:39 UTC 2015-10-11 01:04:39
_	-55	
3		
Time code		
Time code QuickTime TC		
Time code QuickTime TC 6s 440ms		
Time code QuickTime TC 6s 440ms 17:55:51:27		
Time code QuickTime TC 6s 440ms		
Time code QuickTime TC 6s 440ms 17:55:51:27 Yes		
Time code QuickTime TC 6s 440ms 17:55:51:27		
	1 frame M=1, N=8 ave1 Advanced Video Coding 86 s440ms Constant 2.5.0 Mbps 1 920 pixels 1 920 pixels 1 930 pix	MPEC-4 Format profile

Figure 54. MediaInfo Comparison of Original GoPro Hero 3 and Adobe Premiere Encoded File

Comparing the original LG G3 recording to the re-encoded copy created with Adobe Premiere shows an identical change to MPEG-4 file structure as was observed with the GoPro re-encoding. The embedded UUID is identical and again any user data in the original file has been stripped away and replaced with Adobe's own content.




Figure 55. Comparison of Original LG G3 and Adobe Premiere Encoded File Structure

An analysis with MediaInfo reveals the change expected to the embedded timestamps but a file recorded at 60fps rather than at the 30fps of the original. There are other inclusions and exclusions in the properties of the re-encoded file and this level of analysis will only serve to confirm or deny a match between files. However, at the most basic level a keyword search of either file created by Adobe Premiere reveals fifteen hits for the string 'adobe' in the metadata of the file itself.

Format Format profile Codec ID File size	3840x2160-LG-G3-2015-06-20 02.38.24-JH.mp4 MPEG-4 Base Media / Version 2	Complete name Format	3840x2160-LG-G3_premiere.mp MPEG-4
Format Format profile Codec ID File size	MPEG-4	Format	
Format profile Codec ID File size			
Codec ID File size		Format profile	Base Media / Version 2
File size		Codec ID	mp42
	mp42		
Duration	17.7 MiB	File size	6.29 MiB
	5s 35ms	Duration	4s 821ms
Overall bit rate	29.4 Mbps	Overall bit rate mode	Variable
	LGE	Overall bit rate	10.9 Mbps
	UTC 2015-06-20 02:38:24	Encoded date	UTC 2015-10-11 01:00:25
Tagged date	UTC 2015-06-20 02:38:24	Tagged date	UTC 2015-10-11 01:00:25
		©TIM	00;00;00;00
		©TSC	60000
		©TSZ	1001
		@10Z	1001
Video		Video	
ID	1	ID	1
Format	AVC	Format	AVC
	Advanced Video Codec	Format/Info	Advanced Video Codec
	High@L5.1	Format profile	Main@L5.2
Format settings, CABAC	Yes	Format settings, CABAC	Yes
	1 frame	Format settings, ReFrames	3 frames
	M=1, N=30	Codec ID	avc1
	avc1	Codec ID/Info	Advanced Video Coding
	Advanced Video Coding	Duration	4s 821ms
Duration	4s 822ms	Bit rate	10.6 Mbps
	29.9 Mbps	Width	3 840 pixels
	3 840 pixels	Height	2 160 pixels
	2 160 pixels	Display aspect ratio	16:09
Display aspect ratio	16:09	Frame rate mode	Variable
Frame rate mode	Variable	Frame rate	59.940 fps
	29.451 fps	Minimum frame rate	59.940 fps
	29.221 fps	Maximum frame rate	60.000 fps
Maximum frame rate	29.703 fps	Standard	NTSC
Color space	YUV	Color space	YUV
	4:02:00	Chroma subsampling	4:02:00
	8 bits	Bit depth	8 bits
Scan type	Progressive	Scan type	Progressive
Bits/(Pixel*Frame)	0.122	Bits/(Pixel*Frame)	0.021
	17.2 MiB (97%)	Stream size	6.09 MiB (97%)
	VideoHandle	Language	English
	English	Encoded date	UTC 2015-10-11 01:00:25
Encoded date	UTC 2015-06-20 02:38:24	Tagged date	UTC 2015-10-11 01:00:25
Tagged date	UTC 2015-06-20 02:38:24	Color range	Limited
	4822	Color primaries	BT.709
ndid_Daration	4022	Transfer characteristics	BT.709
		Matrix coefficients	BT.709
Audio		Audio	
	2	ID ID	2
			-
	AAC	Format	AAC
Format/Info	Advanced Audio Codec	Format/Info	Advanced Audio Codec
Format profile	I.C.	Format profile	I C
	40	Codec ID	40
	10		10
	5s 35ms	Duration	4s 821ms
Source duration	5s 44ms	Source duration	4s 864ms
Source Duration FirstFrame	9ms	Bit rate mode	Variable
	Constant	Bit rate	317 Kbps
	156 Kbps	Maximum bit rate	388 Kbps
	96.0 Kbps	Channel(s)	2 channels
	2 channels	Channel positions	Front: L R
	Front: I. R	Sampling rate	48.0 KHz
	48.0 KHz	Compression mode	Lossy
	Lossy	Stream size	187 KiB (3%)
	95.9 KiB (1%)	Source stream size	188 KiB (3%)
	95.9 KiB (1%)	Language	English
	SoundHandle	Encoded date	UTC 2015-10-11 01:00:25
	English	Tagged date	UTC 2015-10-11 01:00:25
	UTC 2015-06-20 02:38:24		
incoded date	UTC 2015-06-20 02:38:24		

Figure 56. MediaInfo Comparison of Original LG G3 and Adobe Premiere Encoded File

Apple Quicktime

To test another encoding engine, Apple's QuickTime Player v.10.4 was used to re-encode the sample files for analysis and comparison using its Export function to re-encode the two sample files being examined. The MPEG-4 structure of a file re-encoded with QuickTime shows clear differences from the original GoPro recording. The QuickTime Time Code track has been stripped away but it should be noted that QuickTime is the first piece of software to make any attempt to preserve the contents of the User Data Box ('udta') present in the

original file. To verify the preservation of the User Data Box ('udta') contents between the original and the re-encoded file, these boxes were examined separately to confirm their data. QuickTime has re-arranged these boxes but their contents remain valid.




Figure 57. Comparison of GoPro Hero 3 Original and Apple QuickTime Encoded File Structure

Examining the file with MediaInfo shows that the format profile and the codec ID have changed, the embedded timestamps have been updated to the time of re-encoding, and two pieces of self-identifying GoPro references have been stripped away from the audio and video tracks.

Format MPEG-4 Format profile JVT Codec ID avc1 Codec ID avc1 Format profile Base Medial / Version 2 Codec ID mp42 File size 21.3 MiB Duration 64.440ms Coverall bit rate 26.5 Mbps Coverall bit rate 26.5 Mbps Coverall bit rate 26.5 Mbps Coverall bit rate Cover	General		General	
Format profile Oodec ID avc1 Codec ID mp.2 File size 23.3 MB File size 21.3 MB File	Complete name	1920x1080-GOPRO-HERO3-GOPR1682-BL.mp4	Complete name	1920x1080-GOPRO_quicktime.mp
Codec D	Format	MPEG-4	Format	MPEG-4
Codec D	Format profile	JVT	Format profile	Rase Media / Version 2
File size				
Duration Gs 440ms Duration 7s 174ms				
Overall bit rate 26.5 Mbps Overall bit rate mode Constant				
Content Direct				7s 174ms
Tegged date	Overall bit rate	26.5 Mbps	Overall bit rate mode	Constant
Tegged date	Encoded date	LITC 2015-04-26 17:56:56	Overall hit rate	24 9 Mhns
March Marc				
Mideo				
Video	AMBA		Tagged date	UTC 2015-10-10 23:41:07
D			AMBA	
D	W.J		Wide a	
Format				
FormatInfo				
Format profile	Format			
Format profile Format settings, CABAC Yes Format Yes	Format/Info	Advanced Video Codec	Format/Info	Advanced Video Codec
Formal settings, RABAC Formal settings, ReFrames Formal settings Forma				
Formal settings, ReFrames Formal settings, GOP M=1, N=8				
Format settings, GOP				
Code D				1 frame
Code D	Format settings, GOP	M=1, N=8	Format settings, GOP	M=1, N=8
Codec Di/Info				
Duration				
Bit rate mode				
Bit rate 2.5.0 Mbps Width 1.920 pixels Height 1.080 pixels 1.080 pixels Height 1.080 pixels 1.				
Bit rate 25.0 Mbps Width 1.920 pixels Height 1.080 pixels 1.080 pixels Height 1.080 pixels 1.080	Bit rate mode	Constant	Bit rate mode	Constant
Midth				
Height 1 080 pixels				
Display aspect ratio 16:09 Frame rate mode Constant Frame rate mode Constant Frame rate mode Constant Frame rate mode Se 940 fps Color space YUV				
Display aspect ratio 16:09 Frame rate mode Constant Frame rate mode Constant Frame rate mode Constant Frame rate mode Se 940 fps Color space YUV	Height	1 080 pixels	Height	1 080 pixels
Frame rate mode				
Frame rate				
Color space				
Chroma subsampling	Frame rate	59.940 fps	Frame rate	59.940 fps
Chroma subsampling	Color space	YIIV	Color space	YLIV
Bit depth				
Scan type				
Bits(PkerFrame) 0.201 Bits(PkerFrame) 0.201	Bit depth	8 bits		8 bits
Bits(PkerFrame) 0.201 Bits(PkerFrame) 0.201	Scan type	Progressive	Scan type	Progressive
Stream size 19.1 MB (94%) Stream size 21.2 MB (99%) Title GoPro AVC Enguage English Encoded date UTC 2015-04-26 17:56:56 Encoded date UTC 2015-04-10 23:41:07 Tagged date UTC 2015-04-10 23:41:07 Encoded date UTC 2015-04-26 17:56:56 Encoded date UTC	Rite//Dival*Erama)		Rite//Divol*Eramo)	
Title GoPro AVC Language English Encoded date UTC 2015-10-10 234 1:07 Encoded date UTC 2015-94-26 17.56:56 Encoded date UTC 2015-94-26 17.56:56 Encoded date UTC 2015-10-10 234 1:07 Tagged date UTC 2015-10-10 234 1:07 Tansfer characteristics BT.709 Transfer characteristics BT.709 Matrix coefficients BT.709 Audio D 2 D D 2 Format AAC Formatlrinc Advanced Audio Codec Formatlrinc Bit rate mode Constant Sit rate mode Constant Sit rate mode Constant Sit rate 128 Klps Bit rate mode Channel (s) 2 channels Channel (s) 2 channels Bit rate mode Channel (s) 2 channels Bit rate M8.0 KHz Channel (s) 2 channels Channel (s) 2 channels Bit rate M8.0 KHz Channel (s) 2 channels Channel (s) 2 channels Bit rate M8.0 KHz Channel (s) 2 channels Chann				
Language				
Tagged date	Title	GoPro AVC	Title	Core Media Video
Tagged date	Language	English	Encoded date	UTC 2015-10-10 23:41:07
Tagged date			Toggod data	LITC 2015 10 10 22:41:07
Color primaries Full Color primaries BT.709 Transfer characteristics BT.709 Transfer characteristics BT.709 Matrix coefficients BT.709				
Transfer characteristics BT.709 Matrix coefficients BT.709 Matrix coefficients BT.709 Matrix coefficients BT.709				
Matrix coefficients	Color range	Full	Color primaries	BT.709
Matrix coefficients	Color primaries	BT 709	Transfer characteristics	BT 709
Matrix coefficients BT.709				
D 2 Commat AAC Format Format AAC AAC Format	Matrix coefficients		Matrix coefficients	51.709
D 2 Commat AAC Format Format AAC AAC Format				
D 2 Commat AAC Format Format AAC AAC Format	Audio		Audio	
Format	ID .	2		2
Format/Info				
Format profile				
Codec ID				
Codec ID	Format profile	LC	Format profile	LC
Duration 66 421ms Duration 75 124ms	Codec ID	40		40
Source duration 7s 168ms				
Bit rate 128 Kbps Bit rate mode Constant				
Channel(s) 2 channels 2 c				
Channel(s) 2 channels 2 c	Bit rate	128 Kbps	Bit rate mode	Constant
Channel positions Front L R Channel(s) 2 channels Sampling rate 48 0 KHz Channel positions Front L R Sampling rate 48 0 KHz Channel positions Front L R Stream size 100 KB (0%) Compression mode Lossy Stream size 110 KB (1%) Stream size 111 KB (1%) Language English Source stream size 112 KB (1%) Tagged date UTC 2015-04-26 17:56:56 Title Come Media Audio UTC 2015-04-26 17:56:56 Encoded date UTC 2015-10-10 23:41:07 Other ID 3 Time code Fromat QuickTime TC Company Duration 68:440ms 17:55:51:27 Time code of first frame 17:55:51:27 Immediate of the control of				
Sampling rate				
Compression mode	Channel positions			
Compression mode	Sampling rate	48.0 KHz	Channel positions	
Stream size 100 k/B (0%) Compression mode Lossy	Compression mode	Lossy	Sampling rate	48.0 KHz
Title GoPro AAC Stream size 111 KIB (1%) Language English Source stream size 112 KIB (1%) Language English Source stream size 112 KIB (1%) Core Media Audio UTC 2015-04-26 17:56:56 Title Core Media Audio UTC 2015-04-26 17:56:56 Encoded date UTC 2015-10-10 23:41:07 Tagged date UTC 20				
Language				
Core Media Audio				
Core Media Audio				
Tagged date	Encoded date	UTC 2015-04-26 17:56:56	Title	
Tagged date UTC 2015-10-10 23:41:07 DD 3 Type Time code Format QuickTime TC Duration 6s 440ms Time code first frame 17:55:51:27 Time code, striped Yes Language English L				
D		010 2013-04-20 17.30.30		
Type				
Type	ID	3		
Format QuickTime TC 56 440ms 66 440ms 67 Filme code of first frame 17:55-51:27 68 Filme code, striped Yes 68 Filme Code of first frame 17:56:56:56 68 Filme Code of first frame 17:56:56 68 Filme Code of first frame 18:56:56:56 68 Filme Code of first frame 18:56:56:56:56 68 Filme Code of first frame 18:56:56:56:56:56 68 Filme Code of first frame 18:56:56:56:56:56:56:56:56:56:56:56:56:56:		Time code		
Duration 6s 440ms lime code of first frame 17:55:51:27 Time code, striped Yes Language English Incoded date UTC 2015-04-26 17:56:56				
Time code of first frame 17:55:51:27 Time code, striped Yes				
Time code, striped Yes English	Duration	6s 440ms		
Time code, striped Yes English				
Language English Encoded date UTC 2015-04-26 17:56:56				
Encoded date UTC 2015-04-26 17:56:56				
Encoded date UTC 2015-04-26 17:56:56				
		UTC 2015-04-26 17:56:56		

Figure 58. MediaInfo Comparison of GoPro Hero 3 Original and Apple QuickTime Encoded File

Using AtomicParsley to compare the structures of the original LG G3 file and the QuickTime re-encoded file shows distinct differences in the MPEG-4 structure that would allow the QuickTime file to be identified as being not original.

That being said, the structure of the re-encoded LG G3 file is not the same as the structure of the re-encoded GoPro file. It seems that QuickTime takes certain parts of the original file's structure into account when re-encoding rather than re-encoding using a strict structure as observed with ffmpeg and Adobe Premiere. While there was no meaningful data contained in the User Data Box ('udta') of the original file this data was not preserved during re-encoding as it was in the case of the GoPro.

	1	2	3	4	5	6	7	8	_	1	2	3	4	5	6	8	
	ftyp									ftyp							
2	moov								2	wide							
3		mvhd							3	mdat							Т
4		udta							4	moov							Т
5			auth						5		mvhd						Т
6			adzc						6		trak						Т
7			adzm						7			tkhd					Т
8			adze						8			edts					Т
9		trak							9				elst				T
10			tkhd						10			mdia					Ť
11			mdia						11				mdhd				Ť
12				mdhd					12				hdlr				Ť
13				hdlr					13				minf				Ť
14				minf					14					vmhd			Ť
15					vmhd				15					dinf			Ť
16					dinf				16						dref		Ť
17						dref			17					stbl			Ť
18					stbl	1			18						stsd		Ť
19						stsd			19							avc1	Ť
20							avc1		20								a
21								avcC	21								p
22								pasp	22						stts		ľ
23						stts		Feer	23						stss		Ť
24						stss			24						stsc		t
25						stsz			25						stsz		t
26						stsc			26						stco		t
27						stco			27		trak						Ť
28		trak				0.00			28		uun	tkhd					t
29		uun	tkhd						29			edts					$^{+}$
30			mdia						30			outo	elst				$^{+}$
31			········	mdhd					31			mdia	0.00				t
32				hdlr					32			maid	mdhd				+
33				minf					33				hdlr				+
34					smhd				34				minf				+
35					dinf				35				1111111	smhd			+
36					unn	dref			36				1	dinf			+
37					stbl	arci			37				1	ann	dref		+
38					Juli	stsd			38					stbl	arci		+
39						3130	mp4a		39					JUJ	stsd		+
39 40							прча	esds	40				+		Stau	mp4a	+
41				-		stts		cous	41				+			прча	e
42	_			-		stsz			42				+		stts		е:
42 43	_			-		stsc			42				+		stsc		+
43 44	-			-		stco			43				-		stsz		+
	free			-		SiCO			44				-		stco		+
	mdat	-		-	-		-	-	45	-	-	-	-		SiCO		+

Figure 59. Comparison of LG G3 Original and Apple QuickTime Encoded File Structure

Analysis with MediaInfo shows that the embedded timestamps have been updated to the time of re-encoding, the self-identifying reference 'LGE' has been removed, as well as the references to 'VideoHandle' and 'SoundHandle.'

3840x2160-LG-G3-2015-06-20 02.38.24-JH.mp4	Complete name	3840x2160-LG-G3 quicktime.mp
MPEG-4	Format	MPEG-4
		Base Media / Version 2
		mp42
		17.3 MiB
		4s 999ms
		29.0 Mbps
LGE	Encoded date	UTC 2015-10-10 23:24:08
UTC 2015-06-20 02:38:24	Tagged date	UTC 2015-10-10 23:24:08
UTC 2015-06-20 02:38:24		
	Video	
1		1
		AVC
		Advanced Video Codec
		High@L5.1
Yes	Format settings, CABAC	Yes
1 frame	Format settings, ReFrames	1 frame
M=1, N=30		M=1, N=30
		avc1
		Advanced Video Coding
		4s 821ms
		29.9 Mbps
3 840 pixels	Width	3 840 pixels
2 160 pixels	Height	2 160 pixels
		16:09
		Variable
		29.451 fps
		29.221 fps
29.703 fps	Maximum frame rate	29.703 fps
YUV	Color space	YUV
4:02:00		4:02:00
		8 bits
		Progressive
		0.122
		17.2 MiB (99%)
		Core Media Video
English	Encoded date	UTC 2015-10-10 23:24:08
UTC 2015-06-20 02:38:24	Tagged date	UTC 2015-10-10 23:24:08
	- 55	
4822		
	Andre	
		2
		AAC
		Advanced Audio Codec
LC	Format profile	LC
40	Codec ID	40
		4s 999ms
		5s 44ms
		Constant
156 Kbps	Bit rate	156 Kbps
96.0 Kbps	Nominal bit rate	96.0 Kbps
2 channels	Channel(s)	2 channels
		Front: L R
		48.0 KHz
		Lossy
		95.1 KiB (1%)
95.9 KiB (1%)	Source stream size	95.9 KiB (1%)
SoundHandle	Title	Core Media Audio
English	Encoded date	UTC 2015-10-10 23:24:08
LITC 2015 06 20 02:20:24		
UTC 2015-06-20 02:38:24 UTC 2015-06-20 02:38:24	Tagged date	UTC 2015-10-10 23:24:08
	Base Media / Version 2 mp42	Base Media / Version 2 mp42 Format profile mp42 17.7 MilB File size 55. 35ms Duration 29.4 Mbps Overall bit rate LCE Encoded date UTC 2015-06-20 02:38-24 Tagged date UTC 2015-06-20 02:38-24 Video 1 ID AVC Format Advanced Video Codec Format profile High@L5.1 Format profile Yes Format settings, CABAC Format settings, GOP Codec ID Advanced Video Coding Codec ID avc1 Acvanced Video Coding 48 822ms Duration 29 Mbps Bit rate 3 840 pixels Width 1 6:09 Uration 29 451 fps Height 16:09 Display aspect ratio 29 451 fps Minimum frame rate 402:00 Chroma subsampling 8 bits Bit depth Progressive Conce pilon 0.122 Bitsi(Pixel*Frame) 17.2 MB (97%)

Figure 60. MediaInfo Comparison of LG G3 Original and Apple QuickTime Encoded File

youtube-dl

As a final test of the methods of analysis outlined in this paper, the sample clips from the GoPro Hero 3 and LG G3 were uploaded to YouTube and then downloaded using 'youtube-dl' version 2015.10.09. This software is released into the public domain and is available online at https://github.com/rg3/youtube-dl/. These downloaded files were then compared with the original files in order to compare the files created by a popular tool used for downloading YouTube videos.

Using AtomicParsley to extract the file structure of the YouTube reencoded file reveals a file structure very different from the original and appears to be the same output structure as was observed in the ffmpeg structure analysis.




Figure 61. Comparison of Original GoPro Hero 3 and YouTube Encoded File Structure

MediaInfo confirms relevant changes to the file properties of the reencoded file. The format profile and codec have been modified and the embedded timestamps have been zeroed out. The presence of the 'Lavf56.25.101' string in this file correlates with the theory that youtube-dl is using ffmpeg to transcode YouTube's downloaded data stream into a playable format.

General	4000-4000 CORPO HEROS CORPACOS S: 4	General	4000-4000
Complete name	1920x1080-GOPRO-HERO3-GOPR1682-BL.mp4	Complete name	1920x1080_gopro_youtube.mp
omat	MPEG-4	Format	MPEG-4
ormat profile	JVT	Format profile	Base Media
Codec ID	avc1	Codec ID	isom
ile size	20.3 MiB	File size	4.82 MiB
Ouration	6s 440ms	Duration	7s 245ms
Overall bit rate	26.5 Mbps	Overall bit rate	5 584 Kbps
Incoded date	UTC 2015-04-26 17:56:56	Encoded date	UTC 1904-01-01 00:00:00
Fagged date	UTC 2015-04-26 17:56:56	Tagged date	UTC 1904-01-01 00:00:00
AMBA	000	Writing application	Lavf56.25.101
/ideo		Video	
nideo D	1	ID	1
omat	AVC	Format	AVC
ormat/Info	Advanced Video Codec	Format/Info	Advanced Video Codec
ormat profile	Main@L4.2	Format profile	High@L4.2
ormat settings, CABAC	Yes	Format settings, CABAC	Yes
ormat settings, ReFrames	1 frame	Format settings, ReFrames	3 frames
ormat settings, GOP	M=1, N=8	Format settings, GOP	M=1, N=16
Codec ID	avc1	Codec ID	avc1
Codec ID/Info	Advanced Video Coding	Codec ID/Info	Advanced Video Coding
Ouration	6s 440ms	Duration	7s 174ms
it rate mode	Constant	Bit rate	5 494 Kbps
it rate	25.0 Mbps	Width	1 920 pixels
Vidth	1 920 pixels	Height	1 080 pixels
leight	1 080 pixels	Display aspect ratio	16:09
isplay aspect ratio	16:09	Frame rate mode	Variable
rame rate mode	Constant	Frame rate	59.940 fps
rame rate	59.940 fps	Minimum frame rate	59.920 fps
Color space	YUV	Maximum frame rate	59.960 fps
	4:02:00	Color space	YUV
hroma subsampling			
lit depth	8 bits	Chroma subsampling	4:02:00
can type	Progressive	Bit depth	8 bits
its/(Pixel*Frame)	0.201	Scan type	Progressive
tream size	19.1 MiB (94%)	Bits/(Pixel*Frame)	1:03:22
itle			
	GoPro AVC	Stream size	4.70 MiB (97%)
anguage	English	Encoded date	UTC 1904-01-01 00:00:00
ncoded date	UTC 2015-04-26 17:56:56	Tagged date	UTC 1904-01-01 00:00:00
Fagged date	UTC 2015-04-26 17:56:56		
Color range	Full		
	BT.709		
Color primaries			
ransfer characteristics	BT.709		
Matrix coefficients	BT.709		
Audio		Audio	
D	2	ID	2
omat	AAC	Format	AAC
ormat/Info	Advanced Audio Codec	Format/Info	Advanced Audio Codec
ormat profile	LC	Format profile	LC
Codec ID	40	Codec ID	40
Duration	6s 421ms	Duration	7s 245ms
Bit rate mode	Constant	Bit rate mode	Constant
Bit rate	128 Kbps	Bit rate	126 Kbps
Channel(s)	2 channels	Channel(s)	2 channels
Channel positions	Front: L R	Channel positions	Front: L R
Sampling rate	48.0 KHz	Sampling rate	44.1 KHz
Compression mode	Lossy	Compression mode	Lossy
Stream size	100 KiB (0%)	Stream size	111 KiB (2%)
itle	GoPro AAC	Encoded date	UTC 1904-01-01 00:00:00
anguage	English	Tagged date	UTC 1904-01-01 00:00:00
ncoded date	UTC 2015-04-26 17:56:56		
agged date	UTC 2015-04-26 17:56:56		
Other			
D	3		
ype	Time code		
ormat	QuickTime TC		
Duration	6s 440ms		
ime code of first frame	17:55:51:27		
ime code, striped	Yes		
anguage	English		
incoded date	UTC 2015-04-26 17:56:56		

Figure 62. MediaInfo Comparison of Original GoPro Hero 3 and YouTube Encoded File

The original LG G3 video file uploaded to YouTube was also downloaded and analyzed. Its structure is consistent with the ffmpeg re-encoded videos

examined for this paper and is distinctly different from the structure of an original LG G3 file.

	1	2	3	4	5	6	7	8		1	2	3	4	5	6	8	9
1	ftyp								1	ftyp							
2	moov								2	free							
3		mvhd							3	mdat							
4		udta							4	moov							
5			auth								mvhd						
6			adzc						6		trak						
7			adzm						7			tkhd					
8			adze						8			edts					
9		trak							9				elst				
10			tkhd						10			mdia					
11			mdia						11				mdhd				
12				mdhd					12				hdlr				
13				hdlr					13				minf				
14				minf					14					vmhd			
15					vmhd				15					dinf			
16					dinf				16						dref		
17						dref			17					stbl			-
18					stbl	u.c.			18					OLD.	stsd		
19					OLD.	stsd			19						Otou	avc1	
20						Otou	avc1		20							uvo.	avc
21				_			aver	avcC	21				_		stts		ave
22								pasp	22				_		stss		_
23						stts		pasp	23						ctts		
24						stss			24						stsc		-
25						stsz			25						stsz		
26						stsc			26						stco		
27						stco			27		trak				3100		
28		trak		-		3100			28		uak	tkhd					-
20 29		ırak	tkhd						29			edts	-				
29 30			mdia						30			eats	elst				
31			maia	mdhd					31			and:a	eisi				
31 32				hdlr		-			31		-	mdia	mdhd		-		-
						-					-				-		-
33				minf		-			33		-		hdlr		-		-
34				-	smhd	-					-		minf		-		-
35					dinf				35					smhd			
36						dref			36				-	dinf			
37					stbl				37				-		dref		-
38						stsd			38				-	stbl			-
39				_			mp4a		39						stsd		
40								esds	40				-			mp4a	
41				-		stts			41				-				esd
42				_		stsz			42						stts		
43						stsc			43						stsc		
44						stco			44						stsz		
	free								45						stco		
46	mdat								46		udta						
									47			meta					
									48				hdlr				
									49				ilst				
									50					©too			
									51						data		

Figure 63. Comparison of LG G3 Original and YouTube Encoded File Structure

As expected, MediaInfo reports the changes to format profile and codec ID, as well as the resetting of the embedded timestamps and presence of the ffmpeg identifying string in the metadata of the file.

General		General	
Complete name	3840x2160-LG-G3-2015-06-20 02.38.24-JH.mp4	Complete name	3840x2160 lgg3 youtube.mp4
Format	MPEG-4	Format	MPEG-4
Format profile	Base Media / Version 2	Format profile	Base Media
Codec ID	mp42	Codec ID	isom
File size	17.7 MiB	File size	12.8 MiB
Pile size Duration	5s 35ms	Duration	
			5s 86ms
Overall bit rate	29.4 Mbps	Overall bit rate	21.0 Mbps
Performer	LGE	Encoded date	UTC 1904-01-01 00:00:00
Encoded date	UTC 2015-06-20 02:38:24	Tagged date	UTC 1904-01-01 00:00:00
Tagged date	UTC 2015-06-20 02:38:24	Writing application	Lavf56.25.101
Video		Video	
ID	1	ID	1
Format	AVC	Format	AVC
Format/Info	Advanced Video Codec	Format/Info	Advanced Video Codec
Format profile	High@L5.1	Format profile	High@L5.1
Format settings, CABAC	Yes	Format settings, CABAC	No
Format settings, CABAC	1 frame	Format settings, CABAC	
	M=1, N=30	Codec ID	2 trames avc1
Format settings, GOP			
Codec ID	avc1	Codec ID/Info	Advanced Video Coding
Codec ID/Info	Advanced Video Coding	Duration	4s 822ms
Duration	4s 822ms	Bit rate	22.0 Mbps
Bit rate	29.9 Mbps	Width	3 840 pixels
Width	3 840 pixels	Height	2 160 pixels
Height	2 160 pixels	Display aspect ratio	16:09
Display aspect ratio	16:09	Frame rate mode	Variable
Frame rate mode	Variable	Frame rate	29.451 fps
Frame rate	29.451 fps	Minimum frame rate	29.450 fps
Minimum frame rate	29.221 fps	Maximum frame rate	29.460 fps
Minimum trame rate Maximum frame rate		Color space	29.460 tps YUV
	29.703 fps		
Color space	YUV	Chroma subsampling	4:02:00
Chroma subsampling	4:02:00	Bit depth	8 bits
Bit depth	8 bits	Scan type	Progressive
Scan type	Progressive	Bits/(Pixel*Frame)	0.09
Bits/(Pixel*Frame)	0.122	Stream size	12.7 MiB (99%)
Stream size	17.2 MiB (97%)	Encoded date	UTC 1904-01-01 00:00:00
Title	VideoHandle	Tagged date	UTC 1904-01-01 00:00:00
Language	English		
Encoded date	UTC 2015-06-20 02:38:24		
Tagged date	UTC 2015-06-20 02:38:24		
	4822		
mdhd_Duration	4822		
Audio		Audio	
ID	2	ID	0:00:00
Format	AAC	Format	AAC
Format/Info	Advanced Audio Codec	Format/Info	Advanced Audio Codec
Format profile	LC	Format profile	LC
Codec ID	40	Codec ID	40
Duration	5s 35ms	Duration	5s 86ms
Source duration	5s 44ms	Bit rate mode	Constant
Source Duration FirstFrame		Bit rate	126 Kbps
Bit rate mode	Constant	Channel(s)	2 channels
Bit rate mode			
Dicrato	156 Kbps	Channel positions	Front: L R
Nominal bit rate	96.0 Kbps	Sampling rate	44.1 KHz
Channel(s)	2 channels	Compression mode	Lossy
Channel positions	Front: L R	Stream size	78.3 KiB (1%)
Sampling rate	48.0 KHz	Encoded date	UTC 1904-01-01 00:00:00
Compression mode	Lossy	Tagged date	UTC 1904-01-01 00:00:00
Stream size	95.9 KiB (1%)		
Source stream size	95.9 KiB (1%)		
Title	SoundHandle		
Language	English		
		_	
Encoded date	UTC 2015-06-20 02:38:24		
Tagged date	UTC 2015-06-20 02:38:24 5035		
mdhd Duration			

Figure 64. MediaInfo Comparison of LG G3 Original and YouTube Encoded File

CHAPTER VII

CONCLUSION

The framework for analysis outlined in this paper presents a viable means of authenticating a MPEG-4 recording based on its file structure and metadata. Test recordings from the device purported to have made the recording or a model of the same make and model will need to be created and analyzed in a forensically sound manner in order to establish the baseline of what constitutes an original file as created by the device. Once this baseline is established, that structure can be compared against the structure of the guestioned file in order to determine authenticity.

In cases where the provenance of a questioned file is unknown, this framework of analysis presents a viable means of establishing a greater understanding of the file based on its file structure and metadata. If the file has been re-encoded due to editing, then the file's structure will be comparable to that of files created by known encoding software. To provide the greatest likelihood of identifying an unknown file, this framework of analysis could be utilized to create a database of file structures and properties from known devices and software encoders.

There are a number of open questions that present an opportunity for future work. Neither tool used in this method of analysis was created expressly for the purpose of forensic video analysis. It is important to explore the use of other existing tools for the purpose of analysis. Exiftool (http://www.sno.phy.queensu.ca/~phil/exiftool/) is a powerful tool for viewing image and video file. It supports MPEG-4 video containers and its use should be explored as an alternative or addition to MediaInfo. Another powerful tool that should be considered for further analysis is an extension of the ffmpeg

project called ffprobe (https://mww.videolan.org/vlc/index.html) and GSpot

(http://www.videohelp.com/software/GSpot) are two other tools that can report MPEG-4 file properties but It should be noted that none of these tools will report on the MPEG-4 container structure of a file, nor will they report on the contents of any forensically relevant containers of the file such as the User Data Box ('udta'). Defraser, a tool released by the Nederlands Forensisch Instituut (NFI), released under the BSD license at http://sourceforge.net/projects/defraser/, is a tool used to find video data streams in unallocated disk space. Its use to bolster this method of authentication should be explored as it is an actively maintained purpose-built tool for the purpose of forensic video examination.

In order to create a validated database of file structures from known devices, it will be important to create a new purpose built tool to parse the file structure of these files. This tool should also take into account and record the contents of the User Data Box ('udta'). None of the tools surveyed for this paper are capable of returning the contents of this forensically relevant container.

It is also important to expand the pool of video files to be analyzed. A larger collection of data will only serve to help refine the methods of analysis and reveal further similarities in file structure across device manufacturers. A study of the effects of software versions would also serve to help strengthen such a database. There are many open questions surrounding the idea of how device operating system software affects the file structure of recorded files. For example, does the file structure change across different versions of Android OS? An exploration of third party software would

also help to identify if the file structure is created at the OS level of the device or by the software being used. The exploration of third party software would also allow the further analysis of the contents of the User Data Box ('udta') to determine what forensically relevant information recorded by a given piece of software.

As with any method proposed for the authentication of digital video, this method of authenticating digital video based on its file structure should be incorporated into a greater framework of digital video analysis that would correlate findings from as many analyses as possible in order to strengthen confidence in the ultimate opinion regarding a file's authenticity. Digital video should be inherently more easily authenticated since there are two data streams to consider in analysis: the video and the audio. After the file structure and metadata have been analyzed for authenticity, further analysis can be performed on the pixel level of the video stream and at the sample level of the audio stream. By combining these three methods of analysis, I believe that a greater framework for digital video analysis can be realized.

REFERENCES

- [1] Daniel Lawn Rappaport, "Establishing a Standard for Digital Audio Authenticity: A Critical Analysis of Tools, Methodologies, and Challenges." University of Colorado Denver, 27-Apr-2012.
- [2] Scott Dale Anderson, "Digital Image Analysis: Analytical Framework For Authenticating Digital Images." University of Colorado Denver, 2011.
- [3] T. Gloe, A. Fischer, and M. Kirchner, "Forensic analysis of video file formats," Proc. First Annu. DFRWS Eur., vol. 11, Supplement 1, no. 0, pp. S68–S76, May 2014.
- [4] ISO/IEC, "ISO/IEC 11172-1:1993 Information technology -- Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s -- Part 1: Systems." ISO/IEC, 1993.
- [5] ISO/IEC, "ISO/IEC 13818-1:1996 Information technology -- Generic coding of moving pictures and associated audio information -- Part 1: Systems." ISO/IEC, 1996.
- [6] ISO/IEC, "ISO/IEC 14496-1:1999 Information technology -- Coding of audiovisual objects -- Part 1: Systems." ISO/IEC, 1999.
- [7] ISO/IEC, "ISO/IEC 14496-2:1999 Information technology -- Coding of audiovisual objects -- Part 2: Visual." ISO/IEC, 1999.
- [8] ISO/IEC, "ISO/IEC 14496-3:1999 Information technology -- Coding of audiovisual objects -- Part 3: Audio." ISO/IEC, 1999.
- [9] Apple, Inc., "Classic Version of the QuickTime File Format Specification." Apple, Inc., 2001.
- [10] ISO/IEC, "ISO/IEC 14496-14:2003 Information technology -- Coding of audio-visual objects -- Part 14: MP4 file format." ISO/IEC, 2003.
- [11] ISO/IEC, "ISO/IEC 14496-10:2003 Information technology -- Coding of audio-visual objects -- Part 10: Advanced Video Coding." ISO/IEC, 2003.
- [12] ISO/IEC, "ISO/IEC 14496-15:2004 Information technology -- Coding of audio-visual objects -- Part 15: Carriage of network abstraction layer (NAL) unit structured video in ISO base media file format." ISO/IEC.
- [13] ISO/IEC, "ISO/IEC 14496-12:2004 Information technology -- Coding of audio-visual objects -- Part 12: ISO base media file format." ISO/IEC, 2004.
- [14] MP4 Registration Authority, "MP4REG Registered Types File Types," MP4REG, 15-Oct-2015. [Online]. Available: http://www.mp4ra.org/filetype.html. [Accessed: 15-Oct-2015].
- [15] Apple, Inc., "QuickTime File Format Specification." Apple, Inc., 2015.
- [16] MP4 Registration Authority, "MP4REG Registered Types Codecs," MP4REG, 15-Oct-2015. [Online]. Available: http://www.mp4ra.org/codecs.html. [Accessed: 15-Oct-2015].
- [17] MP4 Registration Authority, "MP4REG Registered Types Box Types," MP4REG, 15-Oct-2015. [Online]. Available: http://www.mp4ra.org/atoms.html. [Accessed: 15-Oct-2015].

- [18] Gravity Lab, "What is the difference between Baseline, Main and High h264 mpeg4 / mp4 profiles?," GravityLab. [Online]. Available: http://www.gravlab.com/2013/11/07/difference-baseline-main-high-h264-mpeg4-mp4-profiles/. [Accessed: 15-Oct-2015].
- [19] Leach, et al., "A Universally Unique IDentifier (UUID) URN Namespace." The Internet Society, Jul-2005.