

## **Guide For Hyperphenylalaninemia**



Laurie Bernstein, MS, RD, FADA

Cindy Freehauf, RN, CGC

## **AUTHORS & CONTRIBUTORS**

#### Laurie Bernstein, MS, RD, FADA

Fellow of the American Dietetic Association Assistant Professor- Department of Pediatrics Director, IMD Nutrition The Children's Hospital, Aurora CO

#### Cindy Freehauf, RN, CGC

Assistant Professor- Department of Pediatrics Clinical Coordinator, IMD Clinic The Children's Hospital, Aurora CO

A special thank you to:

#### Kathleen M. Martin, BS, BA

for her enthusiasm for learning and excellent graphic skills. Intern, IMD Clinic The Children's Hospital, Aurora CO

#### **Second Edition Review Committee:**

#### Casey Burns, RD

Metabolic Nutritionist The Children's Hospital, Aurora CO

#### Sommer Myers, RD

Metabolic Nutritionist The Children's Hospital, Aurora CO

#### Shannon L. Scrivner, MS, CGC

Certified Genetic Counselor The Children's Hospital, Aurora CO

#### Janet A. Thomas, MD

Associate Professor, Pediatrics Director, IMD Clinic The Children's Hospital, Aurora CO

#### Erica L. Wright, MS, CGC

Certified Genetic Counselor The Children's Hospital, Aurora CO

#### Acknowledgments:

Educational grant provided by Nutricia North America

The Genetic Counseling Graduate Students of The University of Colorado at Denver and Health Sciences Center.

TCH logo is a Licensed Trademark, all rights reserved.

# CHAPTER FOUR



## INTRODUCTION

The Inherited Metabolic Clinic at The Children's Hospital in Aurora, CO serves the Rocky Mountain Plains Region and at least 130 individuals with hyperphenylalaninemia (PKU). Children and families require a great deal of complex information, most often new and alien to their experience, in order to establish and maintain consistent and effective treatment. Our experience with the process of sharing such information with families motivated us develop this anticipatory guidance book with teaching aids. We also found it useful to develop a checklist to be certain our delivery of service is consistent and thorough. We hope that this guide will prove to be a useful tool for you in your clinic.

#### THIS EDUCATIONAL TOOL IS DIVIDED INTO FOUR CHAPTERS:

- 1. Birth to Five Years
- 2. The Elementary School Years
- 3. Adolescent Years

4. Maternal PKU

#### EACH CHAPTER IS SUBDIVIDED INTO FOUR SECTIONS:

#### **Clinic Encounter Check Lists**

Contains forms to be utilized during each clinic appointment in an effort to ensure that appropriate key issues are discussed at each clinic visit.

#### **Experience and Thoughts**

We share insights from our experience. This section can be read independently, however, superscript items on the clinic encounter checklists refer to specific topics.

#### **Teaching Aids and Handouts**

Find the materials designed to assist in counseling and teaching.

#### Resources

Other useful and generally available teaching aids and information on acquiring those publications.

Keep in mind that all chapters have been developed as an anticipatory guidance tool with patient education and improved patient compliance as its main goal. We urge you to copy, individualize, and add to any and all of the sections. Whatever your approach, we hope this educational tool assists you in your clinic setting. New innovative methods are always helpful in our roles as health care providers.

This book has been developed with contributions from many professionals and students within The IMD clinic. There are some teaching aids that are available in one or more variations; we hope this complements your teaching style and facilitates the learning of new information.

## TABLE OF CONTENTS

<u>Title</u>	Page
Clinic Encounter Check Lists	
Introduction to Maternal PKU	1
Maternal PKU	2 - 4
Experience and Thoughts	5
Principles of Diet Prescription	6-8
Motherhood	9
24 Hour Diet Diary	10
Teaching Aids and Handouts	
Medical Services Letter	11
Medical Foods Letter	12 – 13
Biochemistry	
Hyperphenylalaninemia	14
Pathways	15
Phenylalanine (Phe) Levels	16 – 17
Pregnancy Treatment Range	18
Development Chart	19
Phenylalanine Levels Graph	20
Pregnancy Calendar	21 – 23
Genetics	
Blueprint	24
Autosomal Recessive Inheritance	25 - 32
<b>References &amp; Resources</b>	33

## MATERNAL PKU

Our final chapter has been designed for maternal PKU. It continues to reflect our multi-disciplinary approach to the treatment of hyperphenylalaninemia. Handouts have been adapted from previous chapters as well as teaching tools that have been designed specifically for maternal PKU. As professionals, maternal PKU is one of our greatest challenges.

It continues to be our goal to ensure that PKU related mental retardation and secondary complications are eradicated through early diagnosis and diet therapy.

## **CHECKLIST: Maternal PKU**

#### **General Maternal PKU Information**

Maternal PKU

- Treated
- Untreated



Fetal development

- Period of critical development of organs commonly affected by untreated maternal hyperphenylalaninemia (see handout)
- Treatment range for maternal hyperphenylalaninemia (see handout)

Emotional response to diagnosis of pregnancy<sup>1</sup>

- Joy
- Ambivalence
- Fear
- Denial

#### **Review of General Hyperphenylalaninemia Information**<sup>3</sup>

Biochemistry (see handout)

Autosomal recessive disorder (see handouts)

- Recurrence risk
- Spousal carrier testing options
- Prenatal diagnosis options
- Newborn diagnostic testing
- Reproductive options

Principles of dietary management

#### The Prescription (Rx)

- Principles of prescription
- Tyrosine supplementation
- Kuvan (see References)

Gram scale—hands on demonstration with the individual

Twenty-four hour clock-explain with use of diet records

Formula preparation-measuring and mixing

Diet records (see handout)

Superscript numbers throughout the Clinic Encounter Checklists refer to the Experience and Thoughts section.



## **CHECKLIST: Maternal PKU**

#### Phenylalanine Levels, Interim History

Interim phenylalanine levels

- Interim tyrosine levels
- Gestational age

#### **Daily Living Routine**

- Cooking/recipes Availability of lo
  - Availability of low protein foods
  - Diet records
  - Blood draws

Setting

- Home
- Work

#### **Daily Living Issues**

Adjusting to possible re-implementation of diet<sup>4</sup>

Work Finances

Impact of diet on family life

#### Prenatal and Newborn Care<sup>5</sup>



Team effort

- Ultrasound dating
- High risk pregnancy
- Newborn testing



### **CHECKLIST: Maternal PKU**

#### Formula Coverage

Each geographic region has its own laws regarding coverage of formula. When
financial coverage of formula is not guaranteed via state law, clinic
involvement might be necessary to facilitate coverage. Examples: Women
Infant Children's Program (WIC), state's health department, solicitation to
insurance companies of medical necessity. (see MEDICAL FOODS LETTER)

#### The Clinic Routine

- Blood draws • Procedure • Frequency Laboratory results • Procedure • Frequency Diet records • Procedure • Frequency Weights • Procedure • Frequency Diet prescription changes • Procedure • Frequency Appointments · Frequency of visits • Flow at visits Clinic staffs' contact numbers
  - Routine
  - Emergency



### **EXPERIENCE & THOUGHTS**

- 1. Dependent upon the circumstances, the emotional responses will vary from patient to patient and from time to time throughout the pregnancy.
- 2. Our team comes from both a metabolic and genetic prospective. With respect to genetic counseling, the approach is nondirective. Risks and possible outcomes are identified and discussed so the family may make an informed decision with respect to reproductive options.
- 3. It has been our experience that an adult woman who has maintained contact with our clinic is slightly more "savvy" with respect to the biochemistry and genetics of hyperphenylalaninemia. For these individuals, a brief overview may be all that is required. For those women whose clinic contact has been limited, an in-depth review may be required. Our multidisciplinary team allows us to address all of the issues listed in this section.
- 4. A patient who has been off diet can be a challenge. It is our approach to offer a variety of choices, including some that are nontraditional. The options that are now available to our patients include powders, bars, modular components and pills. The ultimate goal is to have levels within treatment range.

It is important for the clinician to assess the cognitive level of the patient. If this is a patient who has been off diet and has returned to clinic because of her pregnancy there is a strong possibility that her desire for compliance will not be balanced with her ability to achieve compliance. Year of non- compliance and high levels will most likely have an effect on her learning curve. Modifications to teaching approaches and expectations may need to be made.

5. Depending on patient compliance and state screening methods, prenatal and newborn testing will vary. Care and interaction with prenatal and pediatric teams must be adjusted accordingly. Typically, we include articles on maternal PKU for the teams' review.

### **PRINCIPLES OF DIET PRESCRIPTION**

**Throughout a Lifecycle** 



## **PRINCIPLES OF DIET PRESCRIPTION** PKU and Pregnancy



Phe, Amino Acids, Vitamins, Minerals & Calories

If a pregnant woman only eats what is allowed on a low phenylalanine diet without medical food, they and their baby may be deficient in protein, calories, essential vitamins and minerals. Medical food may provide most of the daily protein, essential vitamin and mineral requirements.

See Reference: "PKU & Pregnancy, For Women With PKU." March of Dimes.

Chapter Four Handout: PRINCIPLES OF DIET PRESCRIPTION

## **PRINCIPLES OF DIET PRESCRIPTION** PKU and Pregnancy

#### **Medical Food**

Circle One

Phenyl-Free 2

Lophlex Lophlex LQ Periflex Advanced XPhe Maxamum PhenylAde 40 PhenylAde Drink Mix PKU Coolers PKU Express CaminoPro PKU 15 Phenex-2

Food

Phe, Amino Acids, Vitamins, Minerals & Calories

If a pregnant woman only eats what is allowed on a low phenylalanine diet without medical food, they and their baby may be deficient in protein, calories, essential vitamins and minerals. Medical food may provide most of the daily protein, essential vitamin and mineral requirements.

See Reference: "PKU & Pregnancy, For Women With PKU." March of Dimes.

Chapter Four Handout: PRINCIPLES OF DIET PRESCRIPTION



Name:

DOB:\_\_\_\_\_

#### Medical Food/Formula:

Step 1: Measure Medical Food/Formula:



Medical food may provide complete nutrition without any Phe. Solid and low protein foods provide additional amino acids, vitamins, minerals, and calories.

## **24 HOUR DIET DIARY**

Name:					Dates Covered:		
Date of Birth	:	Age:		-	Weight:		
Gestational A	\ge:	(# of weeks since last period)		-	Levels:	_Phe	Tyr
	Medical	Food/Formula	Amount	[	Kuvan:		
				Ī	Tyrosine:		
					Multivitamin:		
					Other:		
Add water	to make	ml (fl. oz.)		-	Phe or protein		mg or g
Before	obtaining	a blood specimen, please ro	ecord the	e fo	od eaten for 3 o	consecut	ive days.
Date	Time	Foods or Liquid Ea	ten		Amount Eaten	Phe (mg)	Energy (kcal)
				_			
				_			
				+			
				+			
				_			
				+			
				+			
				+			
				1			
Appetite tod	av was	better than usual usual	nc	or	Totals		
Felt ill today	ves	no Morning sick	ness?	Vf	es no		
If ill, was me	edication req	uired?yesno		,	<u> </u>		
If yes, na	me and amou	int of medication prescribed:					
Regurgitatio	on of food or	formula?yesno	Diarrh	ea?	yes	_no	

## MEDICAL SERVICES LETTER

#### THIS IS A TEMPLATE TO AID YOU IN CREATING ONE THAT WORKS FOR YOUR INSTITUTION

RE:	
DOB:	
[Hospital]# :	

To whom it may concern:

[Name] is a woman insured with you. We are writing at her request to tell you about medical services that will be needed before and during pregnancy.

[Name] has Hyperphenylalaninemia (PKU), which is an inherited metabolic disorder that results from a deficiency in the enzyme phenylalanine hydroxylase. Individuals treated early in life with a special diet low in phenylalanine have normal growth and development, whereas those untreated become mentally retarded and may have seizures and a variety of other problems. As a result of early treatment, women with PKU are now having children. This has led to what is known as Maternal PKU syndrome. Strict dietary treatment and monitoring before and during pregnancy is necessary to prevent detrimental effects to the fetus.

In a survey of maternal PKU, 92% of the non-phenylketonuric children of PKU mothers not on diet were mentally retarded, 73% were microcephalic, 40% had low birth weight, and 12% had congenital heart disease. These deleterious effects result from the high phenylalanine levels in maternal blood. The placenta actively transports these amino acids to levels in the fetal circulation that can be up to two times greater than in the maternal circulation.

A national collaborative study confirms the extent of the positive effects of dietary treatment on pregnancy outcome. There is strong evidence that dietary therapy instituted prior to conception and maintained throughout pregnancy results in a positive prognosis and a healthy baby. For this reason, we strongly recommend that [name] be placed on diet and carefully monitored before and during each pregnancy.

The diet will consist of a special formula and calculated amounts of food. Monitoring will consist of weekly serum phenylalanine and tyrosine levels, periodic additional blood work, and periodic ultrasounds, in addition to routine prenatal care.

The low phenylalanine diet requires a special formula (Medical Food) which provides all vitamins, minerals, energy and protein (without phenylalanine). Foods are given to meet a prescribed amount of phenylalanine intake per day. The majority of cost comes from the use of the special formula. The cost per day, depending on the formula needed to provide necessary nutrients, can range from \$8.80 - \$17.00 per day. Therefore, the cost per year would be between \$3200 - \$6200; which includes three months pre-conception management plus nine months pregnancy.

We appreciate your consideration of this situation. Please feel free to contact us at [phone number of metabolic clinic].

Sincerely,

[name of metabolic nutritionist]

[name of metabolic clinic director]

## MEDICAL FOODS LETTER

#### THIS IS A TEMPLATE TO AID YOU IN CREATING ONE THAT WORKS FOR YOUR INSTITUTION

RE:	
BD:_	
TCH:	

To Whom It May Concern:

This letter will address the use of special medical foods (also called metabolic formula) in Phenylketonuria (PKU).

PKU is an inherited enzymatic defect transmitted on an autosomal recessive basis. Affected individuals have difficulty in metabolism of phenylalanine, one of the essential amino acids. PKU is treated with a diet restricted in phenylalanine, designed to provide just enough phenylalanine for growth, development, and physiologic needs, while keeping blood phenylalanine levels in a narrow acceptable range. Individuals with PKU who are not placed on dietary treatment for this condition early in life will become mentally retarded with seizures and behavior disturbance. Dietary treatment has been shown to be very effective if it is instituted before one month of life, and maintained and monitored over time.

Indefinite continuation of dietary management is recommended to all patients with PKU. We also recommend reinstitution of dietary restriction to all patients whom diet was discontinued in childhood during the 1970's, when that was the usual practice. These recommendations are based on the growing body of evidence, including a report from the PKU Collaborative Study (Koch et al., Journal of Pediatrics, 1982; 100:870-875), indicating that there is a decline in average IQ and development of difficulties in school performance after diet discontinuation. There are also reports (e.g. Butler et al., JIMD 1987; 12:451-457) describing the development of neurologic abnormalities including paralysis in young adults who have gone off diet; in some patients, the neurologic damage was reversible when returned to diet control, but in some, the damage was permanent. Finally, adult women with PKU must have dietary control to prevent adverse effects in pregnancy. It has been known since the 1950's that PKU, uncontrolled in pregnancy, causes severe mental retardation and birth defects (severe heart and intestinal defects are most common) in the developing fetus. The Maternal PKU Collaborative Study demonstrated that perfect control of phenylalanine levels coupled with attention to the multiple problems of nutrition in pregnancy on an artificial diet may permit the birth of healthy children (Widaman KF et al *Pediatrics* 2003;112:1537–1543).

One of a number of proprietary formulas (see table) provides the primary protein constituent for the PKU dietary treatment regimen. Use of these medical foods is absolutely essential for the normal intellectual development of these patients and their ongoing neuropsychologic health. Patients who receive this formula must be under the care of a doctor and a metabolic nutritionist.

These metabolic formulas are used in combination with ordinary foods in restricted, monitored amounts. The patient's diet, growth and serum phenylalanine levels must be carefully monitored and adjusted as indicated.

## MEDICAL FOODS LETTER

These medical foods are an artificial replacement for the normal protein-containing foods that we all require for growth and cell replacement. The use of medical foods may cause growth retardation, malnutrition, and neurologic disease if not meticulously prescribed and carefully monitored. Inappropriate use or poor monitoring can result in malnutrition and irreversible brain damage. For this reason, medical foods should only be dispensed by prescription.

Medical foods fall into a special category based on an agreement between the FDA and the producers of these metabolic formulas. They do not fall strictly in the category of pharmaceuticals; however, they are not "food supplements." Responsible pharmacists, despite the lack of laws preventing dispensation without prescription, will insist upon a prescription to document appropriate medical use of and monitoring of these medical foods.

We request that you approve coverage of medical foods for the management of PKU for [name]. We would prescribe the amount of specific medical food and of phenylalanine from natural foods; and monitor [name]'s clinical status using laboratory studies (phenylalanine levels and measures of nutritional adequacy to avoid iatrogenic deficiency of protein or other nutrients) and clinical evaluations. The medical food could be dispensed through [name of metabolic clinic] or any other pharmacy; laboratory studies would utilize [name of metabolic clinic laboratory] for phenylalanine levels and [name of metabolic clinic laboratory] or other laboratory for other needed surveillance tests. If you have any questions regarding any of this information, please contact us at [phone number of metabolic clinic].

Sincerely,

Laurie Bernstein MS, RD, FADA Assistant Professor- Department of Pediatrics Director- IMD Clinical Nutrition Janet Thomas, MD Associate Professor- Department of Pediatrics Director- IMD Clinic

#### Addendum: List of formulas used to manage maternal PKU

#### Nutricia:

- www.nutricia.com
- Lophlex
- Lophlex LQ
- Periflex Advanced
- XPhe Maxamum

#### **Applied Nutrition:**

#### www.medicalfood.com

- PhenylAde 40
- PhenylAde Drink Mix

#### Vitaflo:

#### www.vitaflousa.com

- PKU Coolers
- PKU Express

#### **Cambrook Foods:**

#### www.cambrookefoods.com

CaminoPro PKU 15

#### Abbott Nutrition: www.abbottnutrition.com

- Phenex-2
- Phenyl-Free 2

Adapted from Medical Director's Resource Guide to Metabolic Disorders, Ross Laboratories

<sup>2</sup> of 2 Chapter Four Handout: MEDICAL FOODS LETTER

## Hyperphenylalaninemia

### THE BODY IS SIMILAR TO A FACTORY...

When the body has enough PAH it converts Phe to Tyr.



If the body does not have enough PAH, the Phe is not converted to Tyr.



The Result: Too much Phe and not enough Tyr.

**PAH:** Phenylalanine Hydroxylase **Phe:** Phenylalanine **Tyr:** Tyrosine

## **Pathways**

#### **Phe** = Phenylalanine PAH = Phenylalanine Hydroxylase Tyr = Tyrosine

## Normal Phenylalanine Pathway Gene PAH PAH Biopterin Cofactor

### **Classic PKU Pathway**



**Biopterin Synthesis** 

## **Phenylalanine (Phe) Levels**





## **Phenylalanine (Phe) Levels**

**Treatment Range** 

120 -  $360\ \mu mol/L\ (2-6\ mg/dl$  )

Low	Normal	Non- PKU HPA	Mild PKU	Classic PKU
< 35 µmol/L	35 - 120 μmol/L	120 - 600μmol/L	600 - 1200 μmol/L	> 1200 µmol/L
(< 0.5 mg/dl )	(0.5 - 2 mg/dl )	(2 - 10 mg/dl )	(10 -20 mg/dl )	(> 20 mg/dl )

#### Hyperphenylalaninemia (HPA)

[-----hyper----][-----phenylalanin-----][-----emia-----]high levels of  $\rightarrow$  phenylalanine  $\rightarrow$  in the blood

#### Phenylketonuria (PKU)

[-----phenylketon-----][-----uria-----]

phenylketone  $\rightarrow$  in the urine

Information taken from Nutrition Management of Patients with Inherited Metabolic Disorders by Phiyllis Acosta

Chapter Four Handout: BIOCHEMISTRY

## PREGNANCY TREATMENT RANGE

2.0-6.0 mg/dl or 120 - 360 µmol/L Phenylalanine levels are within treatment range





Phenylalanine levels greater than 6.0 mg/dl or

### 360 µmol/L

lead to increased risk for birth defects in the fetus!

### PREGNANCY DEVELOPMENT TIMELINE

#### Untreated maternal hyperphenylalaninemia is known to cause the following birth defects:

- Heart Defects
- Esophageal Defects
- ✤ Microcephaly
- Mental Retardation
- Low Birth Weight



Used with permission from PKU & Pregnancy, For Women With PKU

#### **Additional Remarks:**

- There is a link between high Phe levels and risk for birth defects. Early control of Phe levels decreases these risks.
- These ranges do not represent strict cut-offs for the development of these organs, they are approximations. Each pregnancy is different, and development rates vary.
- There are other systems developing concurrently that are not represented on this diagram.
- There is a 3-5% risk for birth defects in ANY pregnancy.

## PHENYLALANINE LEVELS GRAPH



Chapter Four Handout: PHENYLALANINE LEVELS GRAPH

## **PREGNANCY CALENDAR** FIRST TRIMESTER

Week	Phe Level	Tyr Level	<b>Description of Development</b>
1			One week after last menstrual period
2			Conception takes place
3			Implantation of fertilized egg into uterus
4			Placenta begins to form
5			Heart and cardiac system begins to form; formation of the neural tube
6			Embryo is 1/5 of an inch in length; primitive heart is beating and pumping blood; head, eyes, ears, and mouth begin to form
7			Formation of lenses of the eye, middle parts of ear
8			Eyelids begin to form; ears are taking shape; wrists and elbows become evident; fingers begin to form
9			Formation of the pancreas, bile ducts, gall bladder, and internal reproductive organs
10			Embryo is 1 inch in length; beginning of all major organs are formed; formation of the skeleton; facial features begin to take shape
11			Neck develops; external genitalia begins to be gender specific
12			Fingernails appear; gender differences are apparent

### **PREGNANCY CALENDAR** SECOND TRIMESTER

Week	Phe Level	Tyr Level	<b>Description of Development</b>
13			Nose begins to develop bridge; fetus begins to excrete urine into amniotic fluid
14			Fetus is 3 inches long and weighs almost an ounce; muscles begin to develop
15			
16			
17			
18			By 22 Weeks of Gestation:
19			<ul> <li>Fetus weighs approximately <sup>1</sup>/<sub>2</sub> pound and is 10 inches long</li> </ul>
20			• Eyebrows and scalp hair have begun to form
21			• Skin is covered with vernix (a protective coating) and lanugo (fine hair)
22			
23			
24			

### **PREGNANCY CALENDAR** THIRD TRIMESTER

Week	Phe Level	Tyr Level	<b>Description of Development</b>
25			
26			
27			• Surfactant covers the inner lining of the air sacs of the lungs, which allows them to
28			expand easily; blood vessels are rapidly developing in the lungs and brain; fetus can
29			inhale, exhale, and cry; tongue now has
30			developed.
31			• The lungs and brain are continuing to meture: the fetus can open and close its
32			eyes; in the male, the testicles are
33			to the scrotum; in the female, the labia are
34			still underdeveloped and do not completely cover the relatively prominent clitoris.
35			• In the lungs, fluid is being absorbed so the
36			fetus can breathe following birth; there is a surge of fetal hormones that may function
37			in maintaining blood pressure and blood sugar levels following birth; in the male,
38			the testicles have fully descended into the scrotum.
39			
40			

## **DNA BLUEPRINT**



Instructions are normal. Phenylalanine hydroxylase (PAH) is made. Works efficiently.



Instructions have an error. Phenylalanine hydroxylase (PAH) is made, however it does not work as well.



A significant amount of instructions are missing. No phenylalanine hydroxylase (PAH) can be made.







Gene for normal or full phenylalanine hydroxylase (PAH) activity



Gene for altered phenylalanine hydroxylase (PAH) activity

Chapter Four Handout: GENETICS







Gene for normal or full phenylalanine hydroxylase (PAH) activity



Gene for altered phenylalanine hydroxylase (PAH) activity

Chapter Four Handout: GENETICS

### **AUTOSOMAL RECESSIVE INHERITANCE** Chromosome #12 and the PKU Gene

#### Our genes are organized on our body on Chromosomes.

Mrs. Chromosome has PKU and Mr. Chromosome is a carrier; see their chances of having PKU based on Autosomal Recessive Inheritance.



### **AUTOSOMAL RECESSIVE INHERITANCE** Chromosome #12 and the PKU Gene

#### Our genes are organized on our body on Chromosomes.

Mrs. Chromosome has PKU and Mr. Chromosome doesn't; see their chances of having PKU based on Autosomal Recessive Inheritance.



Chapter Four Handout: GENETICS

Dad is a carrier. Mom has PKU.



### WHAT DOES AUTOSOMAL RECESSIVE INHERITANCE REALLY MEAN?

Autosomal recessive inheritance means you have to receive two copies of an altered gene, one from each parent, to have the condition. Individuals who have only one copy of an altered gene are called carriers and do not have the condition.

If a woman has PKU she will always pass a PKU gene down to her children. If her partner is a carrier, there is a 50% chance that he will pass a PKU gene down.

There is a 50% chance that a child will have PKU and a 50% chance that the child will be a carrier.

Dad is a carrier. Mom has PKU.



### WHAT DOES AUTOSOMAL RECESSIVE INHERITANCE REALLY MEAN?

Autosomal recessive inheritance means you have to receive two copies of an altered gene, one from each parent, to have the condition. Individuals who have only one copy of an altered gene are called carriers and do not have the condition.

If a woman has PKU she will always pass a PKU gene down to her children. If her partner is a carrier, there is a 50% chance that he will pass a PKU gene down.

There is a 50% chance that a child will have PKU and a 50% chance that the child will be a carrier.

Dad does not have PKU and is not a carrier. Mom has PKU.



### WHAT DOES AUTOSOMAL RECESSIVE INHERITANCE REALLY MEAN?

Autosomal recessive inheritance means you have to receive two copies of an altered gene, one from each parent, to have the condition. Individuals who have only one copy are called carriers. They do not have the condition.

If a woman has PKU she will always pass a PKU gene down to her children. If her partner does not have PKU and is not a carrier, he will never pass a PKU gene down.

All offspring will be carriers, but none will have PKU.

Dad does not have PKU and is not a carrier. Mom has PKU.



### WHAT DOES AUTOSOMAL RECESSIVE INHERITANCE REALLY MEAN?

Autosomal recessive inheritance means you have to receive two copies of an altered gene, one from each parent, to have the condition. Individuals who have only one copy are called carriers. They do not have the condition.

If a woman has PKU she will always pass a PKU gene down to her children. If her partner does not have PKU and is not a carrier, he will never pass a PKU gene down.

All offspring will be carriers, but none will have PKU.

### **REFERENCES & RESOURCES**

- Fetal Development Overview. Web. <a href="http://www.w-cpc.org/fetal.html">http://www.w-cpc.org/fetal.html</a>
- Human Embryology & Developmental Biology. B. M. Carlson. Mosby, St. Louis, MO, 1999.
- Maternal Phenylketonuria Fact Sheet. Medical Director's Resource Guide to Metabolic Disorders. Ross Laboratories, 625 Cleveland Avenue, Columbus, OH 43215.
- Maternal Phenylketonuria: a new cause for concern. R. B. Kirby. Journal of Obstetric, Gynecologic, and Neonatal Nursing. 28:227-234. 1999.
- Maternal PKU Collaborative Study. Web. <a href="http://www-rcf.usc.edu/~rkock">http://www-rcf.usc.edu/~rkock</a>
- Maternal PKU Resource Site. Web. <a href="http://www.unco.edu/HHS/son/pku/sonpku.htm">http://www.unco.edu/HHS/son/pku/sonpku.htm</a>
- Medical Director's Resource Guide to Metabolic Disorders. Ross Laboratories, 625 Cleveland Avenue, Columbus, OH 43215.
- More Phe, More Choices: Think Healthy! Laurie Bernstein, Sommer Myers, and Casey Burns. IMD Clinic, The Children's Hospital, Aurora, CO. 303-724-2338
- More Phe, More Choices: Think Healthy During Pregnancy! Laurie Bernstein, Sommer Myers, Doug Neuschwanger. IMD Clinic, The Children's Hospital, Aurora, CO. 303-724-2338
- National PKU Network. Web. <http://www.PKUnews.org>
- "Phenylketonuria (PKU) « New England Consortium of Metabolic Programs." New England Consortium of Metabolic Programs. Web. 19 Aug. 2010. <a href="http://newenglandconsortium.org/for-families/phenylketonuria-pku/">http://newenglandconsortium.org/for-families/phenylketonuria-pku/</a>.
- "Phenylketonuria Demographics, Outcomes, and Safety (PKUDOS) Registry." Novato, CA: BioMarin Pharmaceutical, 2009. <a href="http://www.kuvan.com/Downloads/PKUDOS\_Information\_Patients\_Brochure.pdf">http://www.kuvan.com/Downloads/PKUDOS\_Information\_Patients\_Brochure.pdf</a>>
- "PKU & Pregnancy, For Women With PKU". Laurie Bernstein, Cindy Freehauf, Sommer Myers, Casey Burns, and Janine Gessner. March of Dimes. IMD Clinic, The Children's Hospital, Aurora, CO. 303-724-2338. <www.marchofdimes.com>
- Stages of Pregnancy and Role of Hormones. D. Brandman. Web. <a href="http://www.bu.edu/cohis/teenpreg/preg/stages.htm#development">http://www.bu.edu/cohis/teenpreg/preg/stages.htm#development</a>

#### "Phenylketonuria Demographics, Outcomes, and Safety (PKUDOS) Registry"

- "The Resource Mothers Study of Maternal Phenylketonuria: Preliminary Findings." Rohr, F., A. Munier, D. Sullivan, I. Bailey, M. Gennaccaro, H. Levy, H. Brereton, S. Gleason, B. Goss, E. Lesperance, K. Moseley, R. Singh, L. Tonyes, H. Vespa, and S. Waisbren. J Inherit Metab Dis. 27.2 (2004): 145-55.
- **The Young Woman with PKU,** Texas Department of Health . Web. <a href="http://www.tdh.state.tx.us/newborn/youngpku.htm">http://www.tdh.state.tx.us/newborn/youngpku.htm</a>
- "Transition Curriculum PKU Management" Cristine M. Trahms, PKU Clinic University of Washington. Program for Phenylketonuria Transition Curriculum. University of Washington, Seattle2008. Web <a href="http://depts.washington.edu/pku/management/curriculum/transition.html">http://depts.washington.edu/pku/management/curriculum/transition.html</a>>